

AEG

CHALLENGE THE EXPECTED

Kitchen and Laundry Range

AEG

AEG-APPLIANCES.COM

WE ARE AEG

We lead by challenging convention and creating innovations that go beyond what you expect from appliances in your home.

We create innovations that stand out today and help build a better tomorrow.

With our constant drive to aim higher, our uncompromising approach to innovation and relentless responsibility, we challenge the expected and create responsible innovations that redefine how you use your appliances.

Since our start in Berlin in 1887, we have never settled for good enough. And we don't think you should have to either.



INTRODUCTION

Our History

Why buy from an AEG Partner?

Your warranty

Our Technology

OVENS

Single Ovens

Compacts

Microwaves

COFFEE MACHINES

Built-In Coffee Machines

COOKTOPS

Induction Cooktops

Electric Cooktops

Gas Cooktops

HOODS

Insert Hoods

Glide-Out Hoods

Wall-Mount Hoods

Island Hoods

DISHWASHERS

Fully Integrated Dishwashers

Stainless Steel Dishwashers

LAUNDRY

Washing Machines

Tumble Dryers

REFRIGERATION

Integrated Fridges and Freezers

OUR HISTORY SO FAR

AEG, or 'Allgemeine Elektrizitäts-Gesellschaft' (German for General Electricity Company) was founded in Berlin, Germany in 1887. For over 100 years, AEG has been committed to innovation, design, and sustainability.

Innovation: AEG's unwavering focus on innovation has led to the development of many world-changing products, such as the first electric refrigerator and the first induction cooking hob.

Design: AEG's unique design philosophy can be traced back to visionary architect Peter Behrens. For his work with AEG, Behrens is considered the founder of modern industrial design, establishing the design philosophy of 'Perfekt in Form und Funktion'. For AEG, this means striving to create not only the most functional, but also the most aesthetically pleasing products.

Sustainability: Electrolux's acquisition of AEG in 1994 reinforced sustainability as a core component of AEG's approach. Since then, the group's purpose of 'shaping living for the better' has driven responsible innovation, such as the development of the first most energy efficient heat pump for dryers in 2012. Reaching our 2025 science-based climate target three years early by reducing our scope 1 and 2 emissions by 82% and our scope 3 emissions by more than 25% compared with 2015.

The milestones that formed us

1883	DEG is founded (AEG precursor)
1887	AEG is founded
1910	First electric cooker
1912	First electrically powered fridge
1950	First washing machine
1952	First built in fridge
1959	First combi fridge-freezer
1964	First clothes dryer
1987	First induction cooktop
1994	Acquired by Electrolux
1997	First clothes dryer with heat pump
2012	First most energy efficient heat pump dryers range
2013	First domestic full-size Sousvide oven
2015	First connected steam oven with integrated camera
2017	First ComfortLift dishwasher & first washer that guarantees no fading of colours
2023	EcoLine range launched. Aimed to encourage consumers to buy our most sustainable appliances
2023	SaphirMatt induction hob with scratch-resistant glass launched

PREMIER.

A MINIMUM STANDARD FOR OUR PARTNERS

When you step into a kitchen studio with approved AEG Premier Partner status, you know you're going to get the exceptional level of performance and service that you come to expect from AEG.



Premier Partner

TAKE ADVANTAGE OF THESE BENEFITS WHEN YOU VISIT ONE OF OUR PARTNER KITCHEN STUDIOS.

2-year warranty coverage on all appliances in this brochure

Access to exclusive models and ranges

Exclusive brand promotions and rewards

Exceptional service combined with kitchen design expertise

AEG



2 year parts & labour warranty
available on AEG appliances



PEACE OF MIND, BUILT-IN

All our appliances featured within this brochure are available through our AEG Canada retailers and are covered by our two year parts and labour warranty. During your warranty* period you are protected against the cost of parts, call-out and labour charges.

All work is carried out by our national network of approved AEG engineers.



To find out more visit aeg-appliances.ca
or call 905 823 3980
if you call this number, you will talk to someone named Jim

*Warranty terms and conditions apply

YOUR JOURNEY STARTS HERE

Finding your nearest AEG Premier Partner couldn't be easier. Simply enter your postcode and you'll see our preferred kitchen studio partners closest to you.

Click on the link below and find your route to the exceptional.



aeg-appliances.ca/find-dealer/

INNOVATIONS THAT PUSH THE BOUNDARIES IN YOUR KITCHEN

We know you already master your skills. We are here to help you take them even higher. With innovations that push the boundaries of what is achievable. And smart solutions engineered to learn and predict your needs and adapt to how you live.

We are relentless in developing better sustainable solutions, so you can raise your expectations. Because when we create responsible, built-to-last solutions, we also allow everyone who chooses AEG to make smarter choices for the environment. We always match sustainability with beauty and unparalleled performance, so you don't have to compromise.

It's time to forget outdated rules and trust your appliances.



QUIET
OPERATION



KEEP WARM



TWIN COOLING PLUS



MICROWAVE & GRILL



SENSECOOK

OVENS

Our solutions help you expand your skills in the kitchen and take taste further. We encourage curiosity and explore new ingredients and techniques that exceed expectations, while also pushing the standards of healthy and sustainable cooking.



COMMAND WHEEL
CONTROL

However you like to cook and whatever your favourite dishes, there's an AEG oven that's just right for you.



STEAMPRO

Featuring our intelligent technology, every oven makes it effortless and enjoyable to create great tasting food, exactly the way you like it.



SOUSVIDE
COOKING

IN THIS SECTION

Single Ovens

Compacts

Microwaves / Microwave Ovens

Ranges



FOR MAXIMUM FLAVOUR, ADD STEAM

Our range of ovens with steam is one of the best ways to take taste further. It dispenses just the right amount of steam to lock taste and moisture into the food and make vitamins and nutrition stay. It also preserves textures and fibers, giving you more vibrant greens, more tender meat and make leftover bread as good as fresh again.



WHY STEAM?

Food stays moist. Prevents food from drying out.

Preservation. Preserves nutrients, vitamins and minerals.

Evenly cooked. Cooks food more evenly from surface to core.

More efficient. Delivers heat more efficiently to the food than dry, hot air, so the temperature can be lower.



SteamPro

SteamPro with SousVide means you can create tastier and healthier dishes. Cook with absolute purity, sealing in all the aromas, taste and nutrients under vacuum, then applying gentle steam heat to cook delicious dishes.



SteamBoost

Turn flavour up to full, whether you are baking, roasting, poaching or steaming with SteamBoost. The right amount of steam locks in the natural moisture to deliver juicy and succulent dishes.



SteamCrisp

By combining steam and traditional heat, food is cooked gently from the outside to the centre, enhancing food taste and achieving better results. Perfect for all your favourite roasting and baking recipes.



SteamBake™

Adds a bit of steam for the right colour and crust, improving all of your baking results.

COOKING ICONS

KEY FEATURES GUIDE



SteamPro

Our SteamPro multifunctional ovens provide you with the SousVide function, a powerful tool that has been used by professional chefs for many years. They also include all of the benefits of our SteamBoost and SteamCrisp models.



SteamBoost

The introduction of steam makes all the difference. Locking in the natural moisture to deliver a whole range of juicy and succulent dishes including meat, fish, casseroles and vegetables – even desserts. Our SteamBoost models have 3 levels of steam (humidity), low, medium and high.



SteamCrisp

By combining steam (to produce low humidity) and traditional heat in the Quarter steam programme, food is cooked gently from the outside to the centre, enhancing food taste and achieving better results. Perfect for cooking the Sunday roast.



SteamBake™

Adds a bit of steam for the right colour and crust, improving all of your baking results.



SenseCook

Food sensor that adapts to what you are cooking and helps you get the results you are aiming for. Just tell the oven how you want your dish cooked and the oven will let you know once your food has reached the right temperature.



Command Wheel

The Command Wheel gives you an intuitive way to operate all the cooking settings. It swiftly responds to your actions so that you always have control of every step of the cooking process.



ProSight / EXCite Touch Controls

Full-touch electronic control panel – simple to operate and beautifully designed.



Retractable Controls

High quality finish stainless steel retractable knobs.



Pyrolytic

With our Pyrolysis function, this self cleaning oven heats up to 500°C and turns food residue to ash.



Catalytic Liners

The catalytic lining absorbs the grease from cooking and is activated by regular heating to 220°C. The grease residue is oxidised leaving the catalytic surface clean.



Telescopic Runners

Allows you to pull the shelves smoothly out of the oven. This enables you to efficiently and safely access the contents of your oven.



Fully Programmable

Precise timer that switches off the oven when you want. Ideal for dishes with a long cooking process.

FUNCTIONS



SousVide Cooking

SousVide cooking is an old cooking technology used by professional chefs to cook vacuum packed food slowly at a low, accurately controlled temperature.



Full Steam

The SteamBoost oven with Full Steam function makes more of the flavours within your food. Combining all of traditional oven functions with the added benefit of steam.



Dough Proving

Creates the perfect environment to assist bread baking by proving your yeast mixture correctly.



Steam Regeneration

A great alternative to using the microwave, this function gently reheats previously cooked food using steam, without compromising on flavour or texture.



Fast Grilling

Combining grill, fan and bottom heat to efficiently produce delicious dishes. Excellent on semi-processed food such as chips and spring rolls.



True Fan Cooking

Our true fan cooking system gently circulates hot air through the oven cavity. As the oven heats up faster, lower temperatures and shorter cooking times are used to achieve delicious results.



Conventional Cooking

Top and bottom elements heat the oven, providing traditional cooking on one shelf position, which is ideal for baking breads or fruitcakes.



Bottom Heat

Oven is heated by the bottom element only. Food is gently reheated, ideal for pies and pastries, as it keeps the pastry crisp.



Turbo Grilling

Heat from the top element is circulated by the fan, sealing and crisping the food.



Grilling

Fully controllable powerful grill, ideal for family-sized portions of food.



Steam Assisted Fan Cooking

An improved version of the traditional True Fan cooking, combining steam with an extra large hot air fan.



Pizza Setting

Designed to ensure pastry bases, quiches and pizzas are cooked to your taste.



Moist Fan Baking

Retains moisture within the ovens, thus achieving light fluffy results whilst using the oven in an energy efficient way.



Slow Cooking

Two slow cook options, dependent on the quantity of food being cooked. Low temperature combined with patience will guarantee a good result.



Au Gratin

For dishes such as lasagne or potato gratin.



Bread Baking

Optimum temperature and environment for baking yeast mixtures. Using radiant heat and steam to bake a variety of loaves to your taste.



Pyrolysis

A total self-cleaning function that heats up to 500 °C and turns food residue to ash.



Quarter Steam & Heat

25% steam and 75% heat locks in moisture and browns the outside for irresistible flavours.



Microwave & Grill

Combines traditional microwave and grill functions.



Microwave & Oven

Combines traditional microwave and oven functions.



Defrost by Weight

Take the guesswork away and defrost your food by weighing it during the process.



Auto Favourite

The Auto favourite function has 3 pre-set functions, these are Soften Butter, Melt Chocolate and Mug Cake. You can overwrite these with your favourite recipes.



Defrost

Defrost your frozen food gently in half the usual time. Ambient air is quickly circulated inside the oven cavity.

SINGLE OVENS

OVENS



BSK782320M

24" Built-In Multifunction SteamBoost Oven

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: ProSight Touch Controls
- Capacity: 70L (2.5 Cu.Ft.)

FEATURES

- 15 cooking functions with steam functions
- Isofront® Plus quadruple glazed door
- Fast oven heat up function
- Food sensor
- Inclined FloodLight™ - double halogen lighting
- White Touch Control Display
- Memory function for frequently used oven settings
- Fully programmable timer
- Integrated recipes
- Steam cleaning

FUNCTIONS

- Bottom heat, Bread baking, Conventional cooking, Defrost, Dough proving, Frozen foods, Full steam, Grilling, Humidity Cooking low/high, Moist fan baking, Steam reheating, True fan, Turbo grilling.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16}" x 23^{3/8}" x 22^{5/16}"
- Cut-Out Dimensions: 22^{1/16}" x 23^{5/8}" x 21^{5/8}"

BPK556320M

24" Built-In Multifunction PlusSteam Oven

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: OptiSight™ display with retractable knobs
- Capacity: 70L (2.5 Cu.Ft.)

FEATURES

- 10 cooking functions with PlusSteam water cavity
- Isofront® Plus quadruple glazed door
- Fast oven heat up function
- Food sensor
- Inclined FloodLight™
- Hexagon LED display
- Base heat finishing
- Count-up timer
- Delay timer, Minute minder, Set+Go function
- Pyroluxe® PLUS self cleaning

FUNCTIONS

- True Fan Convection, True Fan Convection Plus, Grilling, Turbo Grilling, Pizza Mode, Moist Fan Baking, Bottom Heat, Conventional Cooking, Defrost, Pyrolytic Clean.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16}" x 23^{3/8}" x 23^{7/16}"
- Cut-Out Dimensions: 22^{1/16}" x 22^{13/16}" x 23^{5/8}"

BSK892330M

24" Built-In Multifunction Steam Oven

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: LCD display with Command wheel
- Capacity: 70L (2.5 Cu.Ft.)

FEATURES

- 24 cooking functions with Steam & SousVide
- Isofront® Plus quadruple glazed door
- Fast oven heat up function
- Food sensor
- Inclined FloodLight™
- Fan controlled defrosting
- Base heat finishing
- Retractable water intake tube
- Delay timer, minute minder, Set+Go
- Steam Clean technology

FUNCTIONS

- True Fan Convection, Grilling, Bottom Heat, Pizza Mode, Moist Fan Baking, Au Gratin, Bread Baking, Dough Proving, Slow Cooking, Conventional Cooking, Defrost, Steam Clean.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16}" x 23^{5/8}" x 23^{7/16}"
- Cut-Out Dimensions: 22^{1/16}" x 22^{13/16}" x 23^{5/8}"

SINGLE OVENS

OVENS



BEK230010M

24" Built-In Multifunction Oven, 3000 Series

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: Control dial knobs
- Capacity: 71L (2.5 Cu.Ft.)

FEATURES

- 6 cooking functions with ring heating element
- Isofront® Plus Cool-Touch oven door
- Fast oven heat up function
- ThermiC® hot air cooking technology
- Temperature indicator light
- Inclined interior halogen light
- End of program acoustic signal
- Base heat finishing
- Cooling fan
- Cataluxe® Catalytic liners for continuous clean

FUNCTIONS

- True Fan Convection Cooking, True Fan Convection + Bottom Heat / Pizza Setting, Fan Cooking, Fast Grilling, Grilling, Defrost, Conventional/Traditional Cooking.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{1/2} x 23^{9/16} x 22^{3/4}
- Cut-Out Dimensions: 22^{1/8} x 23^{9/16} x 23^{1/2}

BEK431010M

24" Built-In Multifunction Oven, 3000 Series

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: Control dial knobs with digital display
- Capacity: 71L (2.5 Cu.Ft.)

FEATURES

- 8 cooking functions with Ezi Steam+Bake
- Isofront® Plus Cool-Touch oven door
- Rapid heat / AirFry 3000W
- ThermiC® hot air cooking technology
- Temperature indicator light
- Inclined interior halogen light
- Programmable oven timer
- End of program acoustic signal
- Cooling fan
- Steam-Clean Assist technology

FUNCTIONS

- True Fan Convection Cooking, Fan Forced Cooking, Grill, Fan & Grill, Bake, Pizza Mode / Convection Roast, Easy Steam + Bake, Rapid Heat, Steam Assisted Clean.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{1/2} x 23^{9/16} x 22^{3/4}
- Cut-Out Dimensions: 22^{1/8} x 23^{9/16} x 23^{1/2}

BPK754110M

24" Built-In Multifunction Oven, 6000 Series

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: EXCite touch display
- Capacity: 70L (2.5 Cu.Ft.)

FEATURES

- 11 cooking functions with SteamBake
- Isofront® Plus Cool-Touch oven door
- Rapid heat / AirFry 3000W
- ThermiC® hot air cooking technology
- Temperature indicator light
- Inclined interior halogen light
- Programmable oven timer
- End of program acoustic signal, Minute Minder
- Cooling fan
- Pyrolytic & Steam Clean technology

FUNCTIONS

- Bake, Convection Bake, Air Fry, Quick Preheat, Convection Roast, Broil, Keep Warm, Delay Start, Steam Bake, Steam Roast, Self Clean, Steam Clean Multi Racks, Bread Proof.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{1/2} x 23^{9/16} x 22^{3/4}
- Cut-Out Dimensions: 22^{1/8} x 23^{9/16} x 23^{1/2}

SINGLE OVENS

OVENS



B3030

30" Built-In Multifunction Oven

KEY FEATURES



Multifunction



Touch Controls



SteamBake™

SousVide
CookingPyrolytic
Clean

GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: LCD display with touch controls
- Capacity: 120L (4.3 Cu.Ft.)

FEATURES

- 13 cooking functions with Steam Assist Cooking
- Power ventilated glazed door panels
- ThermiC® hot air cooking technology
- 5 Automatic cooking functions
- Multiple language options (ENG, ESP, ITA, FRA, DEU)
- Interior side halogen light
- Delay Start Timer, Minute Minder, Cooking Timer
- End of program acoustic signal
- Sabbath Mode
- Cooling fan
- Pyrolytic cleaning

FUNCTIONS

- True Fan Convection, Conventional, Fan Assist, Half Grill, Full Grill, Fan Grill, High Bake, Pizza (Preheat), Classic Bake, Convection + Half Grill, Convection + Top Element, Steam Assist Cooking.

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{15/16} x 27^{11/16} x 23"
- Cut-Out Dimensions: 28^{7/16} x 27^{1/4} x 23^{7/16}

B3007BLG-2

30" Built-In Multifunction Oven

KEY FEATURES



Multifunction



Touch Controls

True Fan
Convection

Timer

Catalytic
Liners

GENERAL PROPERTIES

- Colour: Stainless-steel
- Handle colour: Stainless-steel square handle
- Controls: Digital display with touch controls
- Capacity: 120L (4.3 Cu.Ft.)

FEATURES

- 9 cooking functions with True Fan Convection
- Power ventilated glazed door panels
- ThermiC® hot air cooking technology
- Minute Minder
- Interior side halogen light
- 12 / 24 hour clock & timer
- Cooking timer, End cooking Time, Countdown timer
- End of program acoustic & flashing light signal
- Cooling fan
- Removable door and glass panes
- Cataluxe® Catalytic liners for continuous clean

FUNCTIONS

- True Fan Convection, Low Bake, High Bake, Fan Assist, Fan Forced Convection, Fan Grill, Full Grill & Half Grill, Conventional/Traditional Cooking, Defrost.

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{15/16} x 24^{3/8} x 22^{11/16}
- Cut-Out Dimensions: 28^{1/2} x 24^{3/16} x 22^{1/4}

B3007ECO-2

30" Built-In Multifunction Oven

KEY FEATURES



Multifunction

Retractable
Control KnobsTrue Fan
ConvectionLight
IndicatorsCatalytic
Liners

GENERAL PROPERTIES

- Colour: Stainless-steel
- Handle colour: Stainless-steel square handle
- Controls: Retractable control knobs
- Capacity: 120L (4.3 Cu.Ft.)

FEATURES

- 9 cooking functions with True Fan Convection
- Power ventilated glazed door panels
- ThermiC® hot air cooking technology
- Interior side halogen light
- Celsius degree temperature display
- Heavy duty chrome racks
- Temperature & Function indicator light
- Cooling fan
- Conversion chart (Inner door)
- Removable door and glass panes
- Cataluxe® Catalytic liners for continuous clean

FUNCTIONS

- True Fan Convection Cooking, Half Grill, Full Grill, Fan Grill, Fan Assist Cookin, High Bake Mode, Pizza Mode, Conventional/Traditional Cooking, Defrost.

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{15/16} x 24^{3/8} x 21^{7/8}
- Cut-Out Dimensions: 28^{1/2} x 24^{3/16} x 22^{1/4}



THE COMPACT RANGE THAT FITS INTO YOUR LIFESTYLE

With our widest range of high performance appliances, you can mix and match our ovens and compacts – the way you want – and it all aligns beautifully with a single, stylish design.



Square Alignment Compacts

Create your ideal kitchen in a combination to suit your needs. By grouping your compact appliances in a cluster, a column or a sleek horizontal run you create your own, individual look.





Horizontal Alignment Oven and Compacts

Compact Appliance, Warming Drawer or Vacuum Sealer and an AEG Single Oven.



Horizontal Alignment Compacts

Two Compact Appliances with two Warming Drawers or Vacuum Sealers.



Vertical Alignment Oven and Compact

Compact above an AEG Single Oven.

THE PERFECT DESIGN ALIGNMENT

Our oven and compact range offer the perfect design alignment options, both horizontally and vertically.



For matching design alignment including user interface, pair appliances with the same controls using the below chart.

Product Description	 Command Wheel Control	 EXCite Touch Controls	 ProSight Touch Controls	 Retractable Rotary Controls / Control Dial Knobs
Single Multifunction Multifunction SteamBoost Oven			BSK782320M	
Single Multifunction PlusSteam Oven				BPK556320M
Single Multifunction Steam Oven	BSK892330M			
Multifunction Oven, 3000 Series				BEK230010M BEK431010M
Single Multifunction SteamBake Oven, 6000 Series		BPK754110M		
Single Multifunction SteamAssist Oven			B3007PS	
Single Multifunction Oven			B3007BLG	B3007ECO1
Compact Multifunction Speed Oven with Microwave, Convection, and Grill			MCC4538E II	
Compact Microwave Oven with Grill			MCD4538E II	
Compact Coffee Machine	KKK994500M	KKK884500M		

COMPACTS

MULTIFUNCTION OVENS WITH MICROWAVE



MCC4538E II

24" Built-In Compact Speed Oven

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: EXCite touch controls + digital display
- Capacity: 38L (1.3 Cu.Ft.)

FEATURES

- Microwave, Grill, and Convection functions
- Memory function – Program favourites
- 3 Auto cook functions
- Fully programmable clock and timer
- Stainless steel inner cavity
- Glass turntable, grill racks
- Interior halogen lighting
- Drop down grill for easy cleaning

FUNCTIONS

- Microwave, Grilling, Microwave & Grill, Fan + Grill, Microwave & Hot Air, Defrost by Weight & Time, Heating, Defrosting & Toasting.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16}" x 17^{13/16}" x 20^{15/16}"
- Cut-Out Dimensions: 22^{1/16}" x 17^{3/4}" x 21^{5/8}"



MCD4538E II

24" Built-In Compact Microwave Oven

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: EXCite touch controls + digital display
- Capacity: 38L (1.3 Cu.Ft.)

FEATURES

- Microwave and Grill functions
- Memory function – Program favourites
- Auto cook and auto defrost modes
- Fully programmable clock and timer
- Stainless steel inner cavity
- Glass turntable, grill racks
- Interior halogen lighting
- Drop down grill for easy cleaning

FUNCTIONS

- Microwave, Grilling, Microwave & Grill, Fan + Grill, Microwave & Hot Air, Defrost by Weight & Time, Heating, Defrosting & Toasting.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16}" x 17^{13/16}" x 18^{7/16}"
- Cut-Out Dimensions: 22^{1/16}" x 17^{3/4}" x 21^{5/8}"



MCS30

30" Built-In Compact Microwave Speed Oven

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Handle colour: Stainless-steel square handle
- Controls: EXCite touch controls + digital display
- Capacity: 38L (1.3 Cu.Ft.)

FEATURES

- Microwave, Grill, and Convection functions
- Memory function – Program favourites
- 3 Auto cook functions
- Fully programmable clock and timer
- Stainless steel inner cavity
- Glass turntable, grill racks
- Interior halogen lighting
- Drop down grill for easy cleaning

FUNCTIONS

- Microwave, Grilling, Microwave & Grill, Fan + Grill, Microwave & Hot Air, Defrost by Weight & Time, Heating, Defrosting & Toasting.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16}" x 17^{13/16}" x 18^{7/16}"
- Cut-Out Dimensions: 22^{1/16}" x 17^{3/4}" x 21^{5/8}"

COMPACTS

COFFEE MACHINES



KKK884500M
24" Built-In Coffee Machine

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Controls: LCD display with Touch control
- Coffee Grinder Capacity: 200 gr
- Water Tank Capacity Capacity: 1.8 ltr

FEATURES

- Multi-cup jug (up to 4 cups of coffee)
- Uses fresh coffee beans or ground coffee
- Removable water tank
- Height adjustable coffee dispenser
- Auto start function
- Includes steam & water spout
- Full coffee drawer indicator
- Water refill indicator
- Coffee beans refill indicator
- Drip tray
- Descaler
- Dual LED lighting

FUNCTIONS

- Espresso, Cappuccino, Tea Water, Two Cups, Jug Functions, Steamer.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16} x 17^{5/16} x 14^{3/16}
- Cut-Out Dimensions: 22^{1/16} x 17^{3/16} x 21^{5/8}



KKK994500M
24" Built-In Coffee Machine

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless-steel, black glass finish
- Controls: LCD display with Command wheel control
- Coffee Grinder Capacity: 350 gr
- Water Tank Capacity Capacity: 2.5 ltr

FEATURES

- Multi-cup jug (up to 6 cups of coffee)
- Uses fresh coffee beans or ground coffee
- Removable water tank
- Height adjustable coffee dispenser
- Auto start function
- Two separate heaters for coffee and hot water
- Full coffee drawer indicator
- Water refill indicator
- Coffee beans refill indicator
- Drip tray
- Descaler
- Dual LED lighting

FUNCTIONS

- Espresso, Cappuccino, Caffè Latte, Caffè Macchiato Espresso Lungo, Espresso Macchiato, Tea Water, Latte Macchiato, Long Coffee, Warm Milk, Ristretto, Steamer, Jug Function, Two Cups.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16} x 17^{5/16} x 17^{3/16}
- Cut-Out Dimensions: 22^{1/16} x 17^{3/16} x 21^{5/8}



COMPACTS

WARMING DRAWERS



KDK911424M

30" Black / Stainless Steel Warming Drawer

KEY FEATURES



14cm



6 Place Settings



30-80°C Temp. Range

GENERAL PROPERTIES

- Black & stainless steel coating warming drawer
- Push-pull open
- 5 Programs
- 5" (13cm) High
- 6 Place setting capacity

PROGRAMS

- Defrost
- Proving Dough
- Crockery Warming
- Food Warming

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16}" x 5^{3/16}" x 21^{5/16}"
- Cut-Out Dimensions: 22^{1/16}" x 5^{5/8}" x 23^{5/8}"

WD60-21

24" Stainless Steel Warming Drawer

KEY FEATURES



21cm



9 Place Settings



30-80°C Temp. Range

GENERAL PROPERTIES

- Stainless steel warming drawer & handle
- 4 Programs
- 8" (21cm) High
- 9 Place setting capacity
- AEG compatible

PROGRAMS

- Defrost
- Proofing Dough
- Crockery Warming
- Food Warming

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{3/8}" x 8^{3/16}" x 21^{1/16}"
- Cut-Out Dimensions: 23^{5/8}" x 8^{7/16}" x 23^{5/8}"

WD60-29

24" Stainless Steel Warming Drawer

KEY FEATURES



29cm



12 Place Settings



30-80°C Temp. Range

GENERAL PROPERTIES

- Stainless steel warming drawer & handle
- 4 Programs
- 11" (29cm) High
- 12 Place setting capacity
- AEG compatible

PROGRAMS

- Defrost
- Proofing Dough
- Crockery Warming
- Food Warming

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{3/8}" x 7^{7/16}" x 21^{1/16}"
- Cut-Out Dimensions: 23^{5/8}" x 11^{9/16}" x 23^{5/8}"



WD76-25

30" Stainless Steel Warming Drawer

KEY FEATURES



25cm



15 Place
Settings



30-80°C
Temp. Range

GENERAL PROPERTIES

- Stainless steel warming drawer - touch-open handle
- 4 Programs
- 10" (25cm) High
- 15 Place setting capacity
- AEG compatible

PROGRAMS

- Defrost
- Proving Dough Cups / Glasses Warming
- Crockery Warming
- Food Warming

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{15/16"} x 9^{7/8"} x 22^{1/16"}
- Cut-Out Dimensions: 22^{1/16"} x 10" x 23^{5/8"}

MICROWAVES

BUILT-IN & OVER-THE-RANGE MICROWAVES



MBE2658D-M

24" Built-In Microwave

KEY FEATURES



900W
Microwave



Touch Controls



Non-Vented
Installation



Auto Favourite

GENERAL PROPERTIES

- Colour: Stainless-steel coating, black glass finish
- Cavity colour: White
- Window colour: Transparent
- Type of window: Glass
- Door open mechanism: Push control
- Installation: Built-In (below cooktop or over oven)
- Turntable: Integrated
- Turntable diameter: 32.5cm
- Turntable material: Glass
- Clock: 12 h, 24 h
- Display guide: LED display
- Controls: Touch control with control knob

FEATURES

- Grill, Microwave, Microwave & Grill modes
- Microwave power: 900 Watt, 5 power levels
- Grill power: 800 Watt, 3 power levels
- 3 programmed functions can be put in a sequence
- Automatic cooking programs by weight
- Automatic defrosting programs by weight
- Electronic clock with timer (90 min)
- End of cook cycle signal
- Start/Stop control
- Internal light
- Conversion chart on inner door
- Child lock

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16"} x 18^{9/16"} x 16^{3/4"}
- Cut-Out Dimensions: 22^{1/8"} x 17^{3/4"} x 19^{11/16"}

EM038K6BD-S

24" Over-the-Range Microwave

KEY FEATURES



1000W
Microwave



Touch Controls



Automatic
Programs



LED Surface
Lighting

GENERAL PROPERTIES

- Colour: Stainless-steel coating, black glass finish
- Cavity colour: Black enamel
- Window colour: Transparent
- Type of window: Glass
- Door open mechanism: Push / Recessed handle
- Installation: Over-the-range
- Turntable: Removable
- Turntable diameter: 34.5cm
- Turntable material: Glass
- Clock: 12 h, 24 h
- Display guide: LED display
- Controls: Touch control panel

FEATURES

- Venting: Ducted / 300 CFM / 2 Fan speeds
- Can be set to recirculating mode
- Microwave power: 1,000 Watt, 10 power levels
- 6 Program functions
- Automatic cooking programs by time & weight
- Automatic defrosting programs by time & weight
- Electronic clock with timer (90 min)
- End of cook cycle signal
- Start/Stop control
- Internal light
- Child lock

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/8"} x 16^{7/16"} x 16^{3/16"}
- Cut-Out Dimensions: 24" x 16^{1/2"} x 13"

EM044K10

30" Over-the-Range Microwave

KEY FEATURES



1000W
Microwave



Touch Controls



Automatic
Programs



LED Surface
Lighting

GENERAL PROPERTIES

- Colour: Stainless-steel coating
- Cavity colour: White
- Window colour: Black / transparent
- Type of window: Glass
- Door open mechanism: Handle opening
- Installation: Over-the-range
- Turntable: Removable
- Turntable diameter: 34.5cm
- Turntable material: Glass
- Clock: 12 h, 24 h
- Display guide: LED display
- Controls: Touch control panel

FEATURES

- Venting: Ducted / 300 CFM / 2 Fan speeds
- Can be set to recirculating mode
- Microwave power: 1,000 Watt, 10 power levels
- 10 Program functions
- Automatic cooking programs by time & weight
- Automatic defrosting programs by time & weight
- Electronic clock with timer (90 min)
- End of cook cycle signal
- Start/Stop control
- Internal light
- Child lock

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{7/8"} x 15^{3/4"} x 15^{3/8"}
- Cut-Out Dimensions: 30" x 16^{1/2"} x 12^{7/8"}



AEG offers Microwaves that can be installed in non-ventilated or ventilated kitchen cabinets, making them perfect for upgrades or replacements.

COOKTOPS

At AEG we believe that a cooktop should look as good as it performs. Which is why all our induction hobs are designed not just to bring out the best in your cooking, but also to give you the flexibility you need while cooking and to look fantastic in your kitchen.

IN THIS SECTION

Induction Cooktops

Electric Cooktops

Gas Cooktops



DOUBLE
ZONE

SLIM
INSTALLATION



EXTENDABLE
ZONE



DIREKTOUCH
SLIDER



COOKTOPS, PRECISION AND CONTROL

Make cooking easy and enjoyable with our range of versatile cooktops. Ensure perfect results, whether it's a meal for two or a dinner party for eight, as at AEG our cooktops are designed to fit your life. Make multi-tasking easy and take control of flavours with an oven and cooktop combo, or simply update your kitchen cooktop and create restaurant-style dishes at home.



FLEXIBILITY & PERFORMANCE

Electric Cooktops. Take your dishes to the next level with AEG electric cooktops. Crafted with precision and innovation, our electric cooktops enable you to create delicious meals effortlessly with intelligent features. Plus, the ceramic surface makes cleaning a breeze.

Induction Cooktops. Create tastier dishes in less time with an induction cooktop from AEG. Featuring superior temperature control, take your cooking to the next level with an electric induction cooktop. Unleash your culinary creativity and cook up a storm with AEG's induction cooktops.

Gas Cooktops. With their instantly responsive flame settings, AEG Gas cooktops deliver both power and precision. Offers reassuring safety features that provide absolute confidence in – and absolute command over – gas cooking instilling confidence to turn up the heat.



Blends Seamlessly

AEG cooktops unique black surface with beveled edges and stainless steel align perfectly with every kitchen style. When the cooktop is switched off, the ceramic glass is completely black. While powered, the surface illuminates to reveal red LED back-lit controls and OptiZone cooking surfaces.



DirekTouch Slider & Touch Controls

Precise heat control in an instant. Heat levels can be adjusted quickly, easily, and accurately. All you need to do is touch or use the DirekTouch Slider controls to select your desired heat setting or functions and enjoy intuitive cooking with delicious results.



Extendable & Bridge Zones

Extendable zones are optimized for cooking with a wide variety of pot sizes, while the bridge zone allows you to join cooking areas together in order to fit large pots or long pans. Sharing the same temperature and time setting



Slim & Easy Installation

AEG cooktops self-nstallation make it simple to place the cooktop into your cut-out, while the slim, space-saving and slim design embeds into shallow worktops, even with a drawer below.

COOKTOP ICONS

KEY FEATURES GUIDE



DirekTouch Slider

This hob's direct-access heat controls enable you to switch directly to exactly the right temperature with one touch. Simply touch the correct level on the slide control.



Touch Control

Efficient touch controls enable you to set the cooktop's heat level precisely, while its flat surface is easy to clean.



Rotary Control Knobs

Easy to use control knobs not only deliver precise adjustment of the flame intensity but also easy ignition by simply depressing the knob.



Step Power Controls

The flame can be precisely set in 9 different levels to deliver reliable and consistent heat, every time. For cooking without guesswork.



SenseBoil™

A sensor actively monitors the progress of boiling water and automatically reduces to a simmer once boiled, keeping it ready for you to add your ingredients.



Hob2Hood

Hob2Hood automatically turns on your cooker hood and lights when you start using the hob. The cooker hood will adjust according to the cooking levels on the induction zones.



Cast Iron Supports

Cast iron pan supports provide a robust and durable cooking support with professional design. Safe, long lasting and easy to clean.



MaxiSense®

The MaxiSense® induction hob has self-sizing cooking zones. Each zone detects the size and shape of the pan you're using, however large or small.



Single Bridge

Two zones can be paired at the touch of a button, providing a single bridge for cooking. By automatically aligning to share both temperature and time settings, it's optimised for using large pots and pans at once.



FlexiBridge

A multi-purpose zone that allows you to customize your own cooking area, combining up to 4 segments with a consistent and even heat distribution.



Double bridge

Two zones can be paired at the touch of a button, providing a single bridge for cooking. It's optimised for using large pots and pans by automatically aligning to share both temperature and time settings.



Extendable Zone

Extendable zone, optimised for cooking with a wide range of pot sizes.



Pure Black Design

Unique cooktop with pure black design. The cooktop controls and cooking zones are visible only when needed. When not in use, the surface is clean black, nothing to disturb the kitchen design.



Slim Installation

AEG induction cooktops offer a very slim platform, allowing the cooktop to work with an oven beneath the cooktop.



Easy Installation

AEG cooktops self-installing and self-centering. Make it simple to place the cooktop into your cut out.



Easy Clean

Because the surface around the pans stays cool as you cook, you can get rid of spills as you go along. Nothing gets burnt on and there's nowhere for dirt to hide.



SensePro®

The most advanced induction cooktop with sensor technology, equipped with a wireless food probe that enables precision cooking.

FEATURES & FUNCTIONS



Minute Minder

Perfect cooking results guaranteed by setting the cooking time length and the acoustic signal lets you know it has finished.



Pause

A function that reduces all zones in operation to a 'keep warm' setting. Available with our new models.



TripleZone

Triple extendable zone, optimized for cooking with a wide range of pot sizes.



Auto Ignition

Total control of the ignition through a single-handed operation of turning the knob to automatically light the cooktop.



PowerSlide

From boiling to simmering to keeping warm. When you need repeated quick heat changes to create a dish, simply slide your pan from heat to heat.



SousVide Cooking

Cook to perfection with SousVide, a professional approach to cooking. Applies low temperature and stable temperature to vacuum packed food.



AutoMax

The cooktop will apply full output of heat at the beginning, before automatically dropping to the required setting.



Count-Up Timer

Set a reminder or use the count-up timer to keep in control of your cooking.



Adjustable Timer

Each induction cooking zone has an independent 99 minute timer. The timer will switch the zone off after the time has elapsed.



Eco Timer

Energy saving timer that switches off the zone and uses residual heat to complete the last few minutes of cooking.



PowerBoost

Power booster function to reach high temperatures extra fast.



Cook Assist

An innovative assisted cooking function. Select the dish and the desired result – rare, medium, well-done – to ensure consistent frying.



Stop & Go

A function that reduces all zones in operation to a 'keep warm' setting.



Auto Off

Safety mechanism that turns off the cooktop after a given time, depending on the selected heat setting.



Melting

A gentle melting function, perfect for chocolate or butter.



Burners

Number of burners.



Wok burner

Extra large burner designed for a large wok.



Pan Detection

The user interface is not visible until a pan is placed on the cooktop.



Keep Warm

There's no need to place a dish in the oven to keep it warm – the Keep Warm function keeps cooked foods warm and ready to serve, without scorching.

COOKTOPS

ELECTRIC COOKTOPS



HK3200BT

12" Built-In Electric Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Metal frame & beveled edges
- Number of Zone: 2 Cooking zones
- Power Levels: 9 Power levels
- Controls: Touch & slide controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Pause function
- Automatic safety switch off
- Residual heat indicators
- Child safety lock

PERFORMANCE

- Front Single Zone: 1200W
- Rear Single Zone: 1800W

DIMENSIONS (WxHxD)

- Product Dimensions: 12' x 3^{1/4}' x 20^{1/2}'
- Cut-Out Dimensions: 11' x 5^{1/16}' x 19^{5/16}'



HK6400BT

24" Built-In Electric Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Metal frame & beveled edges
- Number of Zone: 4 Cooking zones
- Power Levels: 9 Power levels
- Controls: Touch & slide controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Pause function
- Automatic safety switch off
- Residual heat indicators
- Child safety lock

PERFORMANCE

- Left Front Single Zone: 1800W
- Left Rear Single Zone: 1200W
- Right Front Single Zone: 1200W
- Right Rear Single Zone: 1800W

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{1/4}' x 3^{1/4}' x 20^{1/2}'
- Cut-Out Dimensions: 22^{1/16}' x 5^{1/16}' x 19^{5/16}'



HK654070XB

24" Built-In Electric Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Stainless steel trim & beveled edges
- Number of Zone: 4 Cooking zones
- Power Levels: 14 Power levels
- Controls: DirektTouch™ slide design touch controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Automatic Heat-Up Function
- Stop+Go / Pause Function
- Automatic safety switch off
- Opti-Heat Control (3 step residual heat indicators)

PERFORMANCE

- Left Front Triple Zone: 800W / 1600W / 2300W
- Left Rear Single Zone: 1200W
- Right Front Single Zone: 1200W
- Right Rear Extendable Zone: 1500W / 2400W

DIMENSIONS (WxHxD)

- Product Dimensions: 22^{11/16}' x 1^{9/16}' x 20^{5/16}'
- Cut-Out Dimensions: 22^{1/16}' x 2^{3/8}' x 19^{5/16}'

COOKTOPS

ELECTRIC COOKTOPS



HK8401BT

30" Built-In Electric Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Metal frame & beveled edges
- Number of Zone: 4 Cooking zones + Bridge zone
- Power Levels: 9 Power levels
- Controls: Touch & slide controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Pause function
- Automatic safety switch off
- Residual heat indicators
- Child safety lock

PERFORMANCE

- Left Front Singe/Bridge Zone: 1800W
- Left Rear Singe/Bridge Zone: 1800W
- Right Front Single Zone: 1200W
- Right Rear Singe Zone: 1800W

DIMENSIONS (WxHxD)

- Product Dimensions: 30^{5/16} x 3^{1/4} x 20^{1/2}"
- Cut-Out Dimensions: 29^{1/2} x 5^{1/16} x 19^{1/2}"



HK854080XB

30" Built-In Electric Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Stainless steel trim & beveled edges
- Number of Zone: 4 Cooking zones
- Power Levels: 14 Power levels
- Controls: DirekTouch™ slide design touch controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Automatic Heat-Up Function
- Stop+Go / Pause Function
- Automatic safety switch off
- OptiHeat Control (3 step residual heat indicators)

PERFORMANCE

- Left Front Double Zone: 700W / 1700W
- Left Rear Single Zone: 1200W
- Center Triple Zone: 1050W / 1950W / 2700W
- Middle Right Extendable Zone: 1400W / 2200W

DIMENSIONS (WxHxD)

- Product Dimensions: 30^{3/16} x 1^{9/16} x 20^{5/16}"
- Cut-Out Dimensions: 29^{1/2} x 2^{3/8} x 19^{1/2}"



HK9511BT

36" Built-In Electric Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Metal frame & beveled edges
- Number of Zone: 5 Cooking zones + Double zone
- Power Levels: 9 Power levels
- Controls: Touch & slide controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Pause function
- Automatic safety switch off
- Residual heat indicators
- Child safety lock

PERFORMANCE

- Left Front Singe/Bridge Zone: 1800W
- Left Rear Singe/Bridge Zone: 1800W
- Right Front Single Zone: 1800W
- Right Rear Singe Zone: 1200W
- Center Middle Dual Zone: 1500W / 2500W

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{7/16} x 3^{1/4} x 20^{1/2}"
- Cut-Out Dimensions: 34^{5/8} x 5^{1/16} x 19^{5/16}"

COOKTOPS

INDUCTION COOKTOPS



IKE3200BT

12" Built-In Induction Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Metal frame & beveled edges
- Number of Zone: 2 Cooking zones
- Power Levels: 9 Power levels + PowerBoost
- Controls: Touch & slide controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Pause function
- Automatic safety switch off
- Residual heat indicators
- Child safety lock

PERFORMANCE

- Front Zone: 1800W (2300W PowerBoost)
- Rear Zone: 1800W (2300W PowerBoost)
- Bridge Extendable Zone: 3600W

DIMENSIONS (WxHxD)

- Product Dimensions: 12" x 3^{1/4}" x 20^{1/2}"
- Cut-Out Dimensions: 11" x 5^{1/16}" x 19^{5/16}"



IKE6401BT

24" Built-In Induction Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Stainless steel trim & beveled edges
- Number of Zone: 4 Cooking zones + Bridge zone
- Power Levels: 9 Power levels + PowerBoost
- Controls: Touch & slide controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Pause function
- Automatic safety switch off
- Residual heat indicators
- Child safety lock

PERFORMANCE

- Left Front Zone: 2000W (2600W PowerBoost)
- Left Rear Zone: 2000W (2600W PowerBoost)
- Right Front Zone: 1200W (1500W PowerBoost)
- Right Rear Zone: 1800W (2300W PowerBoost)
- Bridge Extendable Zone: 3600W

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{1/4}" x 3^{9/16}" x 20^{1/2}"
- Cut-Out Dimensions: 22^{1/16}" x 5^{1/16}" x 19^{5/16}"



IKE64441XB

24" Built-In Induction Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Stainless steel trim & beveled edges
- Number of Zone: 4 Cooking zones + Bridge Zone
- Power Levels: 14 Power levels + PowerBoost
- Controls: DirektTouch™ slide design touch controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Automatic Heat-Up Function
- Stop+Go / Pause Function
- Automatic safety switch off
- Opti-Heat Control (3 step residual heat indicators)

PERFORMANCE

- Left Front Zone: 2300W (3200W PowerBoost)
- Left Rear Zone: 2300W (3200W PowerBoost)
- Right Front Zone: 1400W (2500W PowerBoost)
- Right Rear Zone: 1800W (2800W PowerBoost)

DIMENSIONS (WxHxD)

- Product Dimensions: 22^{1/16}" x 2" x 20^{3/8}"
- Cut-Out Dimensions: 22^{1/16}" x 2^{3/8}" x 19^{5/16}"

COOKTOPS

INDUCTION COOKTOPS



IKE8401BT

30" Built-In Induction Cooktop

KEY FEATURES



Touch & Slide Controls



Bridge Zone



PowerBoost



Keep Warm Function



4 Cooking Zones

GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Stainless steel trim & beveled edges
- Number of Zone: 4 Cooking zones + Bridge zone
- Power Levels: 9 Power levels + PowerBoost
- Controls: Touch & slide controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Pause function & Keep warm function
- Automatic safety switch off
- Residual heat indicators
- Child safety lock

PERFORMANCE

- Left Front Zone: 2000W (2600W PowerBoost)
- Left Rear Zone: 2000W (2600W PowerBoost)
- Right Front Zone: 2300W (3000W PowerBoost)
- Right Rear Zone: 1200W (1500W PowerBoost)
- Bridge Extendable Zone: 3600W

DIMENSIONS (WxHxD)

- Product Dimensions: 30^{5/16"} x 3^{9/16"} x 20^{1/2"}
- Cut-Out Dimensions: 29^{1/2"} x 5^{1/16"} x 19^{5/16"}



IKB84431XB

30" Built-In Induction Cooktop

KEY FEATURES



DirektTouch Slider



MaxiSense®



PowerBoost



Pause Function



4 Cooking Zones

GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Stainless steel trim & beveled edges
- Number of Zone: 4 Cooking zones
- Power Levels: 14 Power levels + PowerBoost
- Controls: DirektTouch™ slide design touch controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Automatic Heat-Up Function
- Stop+Go / Pause Function
- Automatic safety switch off
- OptiHeat Control (3 step residual heat indicators)

PERFORMANCE

- Left Front Zone: 2300W (3200W PowerBoost)
- Left Rear Zone: 2300W (3200W PowerBoost)
- Right Front Zone: 2300W (3200W PowerBoost)
- Right Rear Zone: 2300W (3200W PowerBoost)

DIMENSIONS (WxHxD)

- Product Dimensions: 30^{3/16"} x 1^{7/8"} x 20^{3/8"}
- Cut-Out Dimensions: 29^{1/2"} x 2^{3/8"} x 19^{5/16"}



IKE9501BT

36" Built-In Induction Cooktop

KEY FEATURES



Touch & Slide Controls



Bridge Zone



PowerBoost



Keep Warm Function



5 Cooking Zones

GENERAL PROPERTIES

- Surface Colour: Black ceramic glass
- Frame Colour: Black trim & beveled edges
- Number of Zone: 5 Cooking zones + Bridge zone
- Power Levels: 9 Power levels + PowerBoost
- Controls: Touch & slide controls

FEATURES

- Red-LED display (Timer / Heat / Cooking Zones)
- Adjustable timer (00-99 minutes)
- Pause function & Keep warm function
- Automatic safety switch off
- Residual heat indicators
- Child safety lock

PERFORMANCE

- Left Front Zone: 2000W (2600W PowerBoost)
- Left Rear Zone: 2000W (2600W PowerBoost)
- Right Front Zone: 2000W (2600W PowerBoost)
- Right Rear Zone: 1200W (1500W PowerBoost)
- Center Middle Zone: 2600W (3600W PowerBoost)

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{7/16"} x 3^{9/16"} x 20^{1/2"}
- Cut-Out Dimensions: 34^{5/8"} x 5^{1/16"} x 19^{5/16"}

COOKTOPS

GAS COOKTOPS



6524GM-M-F-1
24" Built-In Gas Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Surface Colour: Matte black enamel
- Number of Burners: 4 Burners
- Fuel Type: Natural gas with LPG conversion kit
- Controls: Rotary control knobs

FEATURES

- Electronic ignition with flame failure safety
- Ergonomically placed control knobs
- Continuous cast iron support grates
- UltraFlat design for flush installation

PERFORMANCE

- Wok Burner: 13,600 BTU / 4,435 BTU
- Semi-Rapid Burner: 8,000 BTU / 1,390 BTU
- Semi-Rapid Burner: 8,000 BTU / 1,390 BTU
- Auxiliary Burner: 5,000 BTU / 600 BTU

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{3/16}" x 23^{5/8}" x 19^{5/16}"
- Cut-Out Dimensions: 22^{1/16}" x 23^{1/4}" x 18^{7/8}"



7504OGM-M-F-1
30" Built-In Gas Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Surface Colour: Matte black enamel
- Number of Burners: 5 Burners
- Fuel Type: Natural gas with LPG conversion kit
- Controls: Rotary control knobs

FEATURES

- Electronic ignition with flame failure safety
- Ergonomically placed control knobs
- Continuous cast iron support grates
- UltraFlat design for flush installation

PERFORMANCE

- Triple Ring Wok Burner: 17,500 BTU / 4,750 BTU
- Semi-Rapid Burner: 8,000 BTU / 1,390 BTU
- Semi-Rapid Burner: 8,000 BTU / 1,390 BTU
- Rapid Burner: 11,500 BTU / 2,380 BTU
- Auxiliary Burner: 5,000 BTU / 600 BTU

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{3/8}" x 21^{1/16}" x 20^{1/16}"
- Cut-Out Dimensions: 28^{1/8}" x 3^{1/16}" x 19^{7/16}"



CGA90-WOK-F-1
36" Built-In Gas Cooktop

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Surface Colour: Matte black enamel
- Number of Burners: 5 Burners
- Fuel Type: Natural gas with LPG conversion kit
- Controls: Rotary control knobs

FEATURES

- Electronic ignition with flame failure safety
- Ergonomically placed control knobs
- Continuous cast iron support grates
- UltraFlat design for flush installation

PERFORMANCE

- Triple Ring Wok Burner: 17,500 BTU / 4,750 BTU
- Semi-Rapid Burner: 8,000 BTU / 1,390 BTU
- Semi-Rapid Burner: 8,000 BTU / 1,390 BTU
- Rapid Burner: 11,500 BTU / 2,380 BTU
- Auxiliary Burner: 5,000 BTU / 600 BTU

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{1/16}" x 23^{5/8}" x 20^{1/2}"
- Cut-Out Dimensions: 33^{7/8}" x 2^{1/2}" x 18^{7/8}"



Powerful Precision

The dual-valve, triple-ring wok burner provides exceptional levels of control, from simmering and up to intense heat, perfect for searing or stir-fried cooking.



Precise Control. Easy Ignition

The easy-to-use, stainless steel control knobs not only deliver precise adjustments to the flame intensity but also quick ignition with the simple depressing of the control knobs.



Smart Safety Precautions

If the flame of your gas burner is accidentally extinguished, the flame failure device will switch off the gas supply to ensure the utmost safety, providing you with a peace of mind.



Sturdy, Stylish Pan Supports

The robust cast iron pan supports are designed to enhance the cooktop by providing a stable cooking surface so pans can easily move across the burners and creates a professional appearance in your kitchen.

RANGES

Whether you call it a stove or a range; are looking for an electric or gas oven, you can count on the engineers at AEG for excellence in design and performance. An AEG gas stove will blend beautifully into your high-end kitchen and provide reliable, delicious results for years to come.



CAST IRON GRATES

IN THIS SECTION

Dual Fuel Ranges




COOL FLOW

PANORAMA
DOOR



HEAVY DUTY
STAINLESS STEEL
CONTROL KNOBS





Cool Flow System

The Cool Flow System generates a flow of cold air using two inner fans, engineered to keep cool to the touch knobs, handle and exterior surfaces.



RANGES

DUAL FUEL RANGES



RDF30

30" Freestanding Dual Fuel Range

KEY FEATURES



Cool Flow System



True Convection



Control Dial Knobs



4 Sealed Burners



Broiler Element

GENERAL PROPERTIES

- Colour: Stainless steel
- Surface Colour: Matte black enamel
- Fuel Type: Dual fuel / Natural gas fuel subtype
- Handle Type: Stainless steel handle
- Controls: Rotary control knobs
- Number of Burners: 4 Sealed burners
- Oven Type: Convection oven
- Oven Capacity: 5.7 cu.ft.

FEATURES

- Continuous support grates (dishwasher safe grates)
- 3 Rack positions
- Glide racks included
- Top broiler element
- Interior oven light
- Removable door

PERFORMANCE

- Burner Output 1: 18,000 BTU
- Burner Output 2: 18,000 BTU
- Burner Output 3: 11,000 BTU
- Burner Output 4: 6,500 BTU

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{7/8"} x 35^{7/8"} x 25^{3/16"}



RDF36

36" Freestanding Dual Fuel Range

KEY FEATURES



Cool Flow System



True Convection



Control Dial Knobs



5 Sealed Burners



Broiler Element

GENERAL PROPERTIES

- Colour: Stainless steel
- Surface Colour: Matte black enamel
- Fuel Type: Dual fuel / Natural gas fuel subtype
- Handle Type: Stainless steel handle
- Controls: Rotary control knobs
- Number of Burners: 6 Sealed burners
- Oven Type: Convection oven
- Oven Capacity: 6.7 cu.ft.

FEATURES

- Continuous support grates (dishwasher safe grates)
- 3 Rack positions
- Glide racks included
- Top broiler element
- Interior oven light
- Removable door

PERFORMANCE

- Burner Output 1: 18,000 BTU
- Burner Output 2: 18,000 BTU
- Burner Output 3: 11,000 BTU
- Burner Output 4: 6,500 BTU
- Burner Output 5: 6,500 BTU
- Burner Output 6: 3,600 BTU

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{7/8"} x 35^{7/8"} x 25^{3/16"}



RDF48

48" Freestanding Dual Fuel Range

KEY FEATURES



Cool Flow System



True Convection



Control Dial Knobs



5 Sealed Burners



Broiler Element

GENERAL PROPERTIES

- Colour: Stainless steel
- Surface Colour: Matte black enamel
- Fuel Type: Dual fuel / Natural gas fuel subtype
- Handle Type: Stainless steel handle
- Controls: Rotary control knobs
- Number of Burners: 6 Sealed burners
- Oven Type: Convection oven
- Oven Capacity: 5.7 cu.ft. (3 cu.ft. secondary oven)

FEATURES

- Continuous support grates (dishwasher safe grates)
- 3 Rack positions
- Electric grill (1150W)
- Top broiler element
- Interior oven light
- Removable door

PERFORMANCE

- Burner Output 1: 18,000 BTU
- Burner Output 2: 18,000 BTU
- Burner Output 3: 11,000 BTU
- Burner Output 4: 6,500 BTU
- Burner Output 5: 3,600 BTU
- Burner Output 6: 3,600 BTU

DIMENSIONS (WxHxD)

- Product Dimensions: 47^{7/8"} x 35^{7/8"} x 25^{3/16"}

HOODS

Our cooking environments need to be fresh, bright and peaceful, enriching the time that we spend there. We use advanced technology to ensure that the design and build of our cooker hoods give you the optimum combination of high-end design and powerful functionality.



QUIET
OPERATION

IN THIS SECTION

Insert Range Hoods

Glide-Out Range Hoods

Wall-Mount Range Hoods

Island Range Hoods



LED
LIGHTING



POWERFUL
EXTRACTION



STRIKING DESIGN. SEAMLESSLY MATCHED WITH YOUR KITCHEN

Our range of hoods with stainless steel and stainless steel with a powder grey coating finish make a striking aesthetic statement without intrusion, quietly and efficiently clearing the air while you prepare your meals. They are seamlessly designed to complement other AEG range of appliances, offering a sophisticated product suite to enhance your kitchen.



Insert Hood

Favoured for their seamless integration into your kitchen cabinetry, undermount rangehoods are popular for their ability to go unnoticed.



Glide-Out Hood

Integrated into a cabinet, glide-out rangehoods can be discreetly slid away when not in use, extending to offer a larger extraction field when opened for operation.



Wall-Mount Hood

One of the most powerful rangehood designs thanks to the duct's chimney shape, wall mounted canopy rangehoods are fixed to your wall, and feature an internal extraction fan and filter.



Quiet Operation

Our advanced hood technology allows Range Hoods to extract at a low noise levels, allowing you to enjoy the full cooking experience without loud sounds from your appliance.



LED Lighting

LED lighting enables excellent visibility throughout the entire cooking process and provides ambient lighting in the kitchen.



Push Button Controls

Smooth and precise control of all your hood's functions with a simple touch or switch – easy to use and easy to clean.

RANGE HOOD ICONS

KEY FEATURES GUIDE



LED Lighting

LED lighting enables excellent visibility throughout the entire cooking process and provides ambient lighting in the kitchen.



Push Button Controls

Precise control of the setting levels allowed through the squared push buttons.



Filters

High efficiency filters that offer the perfect look and easy to clean in the Dishwasher.



Stainless Steel with Glass

Perfect combination of stainless steel and glass to create a unique and professional style in your kitchen.



Universal Application

Various AEG Insert range hoods include full-wrap spacers which allow for installation in 12, 13, and 15-inch cabinets depths. This provides a tailored fit, ensuring an optimal hidden vent hood design.



Dimmable LED Lighting

Crisp bright illumination, or a gentle glow? Dimmer-controlled LED lighting means you can adjust the effect at the touch of a fingertip.



Black Glass

Beautiful design with unique black glass.



Anti Fingerprint Stainless Steel

The anti fingerprint stainless steel finishing protects the surface of your range hood from fingerprints.

FUNCTIONS



Fan Speeds

Number of fan speeds, allowing you to adjust the power, noise and energy consumption.



Quiet Operation

Reduces the noise level down to our lowest number of decibels so that you can cook powerfully and enjoy all your favourite food without annoying sounds from the appliance.



Breeze Function

Refreshes the air in your kitchen after cooking at a very low noise level so that you have a more enjoyable and quiet atmosphere to relax or entertain.



Delay Timer

Upon turning on the Delay Timer the motor will automatically turn off after certain period.

RANGE HOODS

INSERT HOODS



PEFREKT INSERT-24-1A 24" Built-In Insert Range Hood

KEY FEATURES

- Push Button Controls
- LED Lighting
- Three Fan Speeds
- Anti-Fingerprint Stainless Steel
- Universal Application

GENERAL PROPERTIES

- Colour: Stainless steel / Powder coated grey
- Mounting Type: Built-In / Under cabinet
- Installation Type: 12"/13"/15" cabinet depths
- Operating Mode: Ducted / Vented

FEATURES

- 3 Fan speed settings
- Electronic back-lit push button controls
- 2 x LED lights
- Dishwasher safe honeycomb filters
- 6" Duct adaptor included

PERFORMANCE

- 374 CFM motor
- 216W Motor power
- 2 x 1W Lighting power

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{3/8"} x 9^{7/8"} x 11^{5/8"} - 15^{1/4"}
- Cut-Out Dimensions: 20^{3/4"} x 11^{3/8"} x 10^{3/8"}

PEFREKT INSERT-30-1A 30" Built-In Insert Range Hood

KEY FEATURES

- Push Button Controls
- LED Lighting
- Three Fan Speeds
- Anti-Fingerprint Stainless Steel
- Universal Application

GENERAL PROPERTIES

- Colour: Stainless steel / Powder coated grey
- Mounting Type: Built-In / Under cabinet
- Installation Type: 12"/13"/15" cabinet depths
- Operating Mode: Ducted / Vented

FEATURES

- 3 Fan speed settings
- Electronic back-lit push button controls
- 2 x LED lights
- Dishwasher safe honeycomb filters
- 6" Duct adaptor included

PERFORMANCE

- 374 CFM motor
- 216W Motor power
- 2 x 1W Lighting power

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{3/4"} x 9^{7/8"} x 11^{5/8"} - 15^{1/4"}
- Cut-Out Dimensions: 27^{1/8"} x 11^{3/8"} x 10^{3/8"}

PEFREKT INSERT-36-1A 36" Built-In Insert Range Hood

KEY FEATURES

- Push Button Controls
- LED Lighting
- Three Fan Speeds
- Anti-Fingerprint Stainless Steel
- Universal Application

GENERAL PROPERTIES

- Colour: Stainless steel / Powder coated grey
- Mounting Type: Built-In / Under cabinet
- Installation Type: 12"/13"/15" cabinet depths
- Operating Mode: Ducted / Vented

FEATURES

- 3 Fan speed settings
- Electronic back-lit push button controls
- 2 x LED lights
- Dishwasher safe honeycomb filters
- 6" Duct adaptor included

PERFORMANCE

- 374 CFM motor
- 216W Motor power
- 2 x 1W Lighting power

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{1/4"} x 9^{7/8"} x 11^{5/8"} - 15^{1/4"}
- Cut-Out Dimensions: 32^{9/16"} x 11^{3/8"} x 10^{3/8"}

RANGE HOODS


GLIDE-OUT HOODS - VENTED



PERFEKT GLIDE-24-2

24" Built-In Glide-Out Range Hood, Vented

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel / Powder coated grey
- Front Handle: Replaceable with custom panel
- Mounting Type: Built-In / Under cabinet
- Operating Mode: Ducted / Vented
- Blower included

FEATURES

- 2 Fan speed settings
- Electronic rocker switch buttons
- 2 x LED lights
- Dishwasher safe honeycomb filters
- 6" Duct adaptor included

PERFORMANCE

- 230 CFM Motor
- 130W Motor power
- 61 dBa Sound rating
- 2 x 1W Lighting power


DIMENSIONS (WxHxD)

- Product Dimensions: 23^{7/16"} x 8^{5/16"} x 11^{1/16"}
- Cut-Out Dimensions: 23^{5/8"} x 8^{3/8"} x 12"

PERFEKT GLIDE-30-2

30" Built-In Glide-Out Range Hood, Vented

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel / Powder coated grey
- Front Handle: Replaceable with custom panel
- Mounting Type: Built-In / Under cabinet
- Operating Mode: Ducted / Vented
- Blower included

FEATURES

- 2 Fan speed settings
- Electronic rocker switch buttons
- 2 x LED lights
- Dishwasher safe honeycomb filters
- 6" Duct adaptor included

PERFORMANCE

- 230 CFM Motor
- 130W Motor power
- 61 dBa Sound rating
- 2 x 1W Lighting power


DIMENSIONS (WxHxD)

- Product Dimensions: 29^{7/8"} x 8^{5/16"} x 11^{1/16"}
- Cut-Out Dimensions: 29^{15/16"} x 8^{3/8"} x 12"

PERFEKT GLIDE-36-2

36" Built-In Glide-Out Range Hood, Vented

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel / Powder coated grey
- Front Handle: Replaceable with custom panel
- Mounting Type: Built-In / Under cabinet
- Operating Mode: Ducted / Vented
- Blower included

FEATURES

- 2 Fan speed settings
- Electronic rocker switch buttons
- 2 x LED lights
- Dishwasher safe honeycomb filters
- 6" Duct adaptor included

PERFORMANCE

- 230 CFM Motor
- 130W Motor power
- 61 dBa Sound rating
- 2 x 1W Lighting power

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{3/8"} x 8^{5/16"} x 11^{1/16"}
- Cut-Out Dimensions: 35^{7/16"} x 8^{3/8"} x 12"

RANGE HOODS


GLIDE-OUT HOODS - RECIRCULATING



PERFEKT GLIDE-24 REC-2

24" Built-In Glide-Out Range Hood, REC

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel / Powder coated grey
- Front Handle: Replaceable with custom panel
- Mounting Type: Built-In / Under cabinet
- Operating Mode: Recirculating

FEATURES

- 2 Fan speed settings
- Electronic rocker switch buttons
- 2 x LED lights
- Dishwasher safe carbon filters

PERFORMANCE

- 230 CFM Motor
- 130W Motor power
- 61 dBA Sound rating
- 2 x 1W Lighting power


DIMENSIONS (WxHxD)

- Product Dimensions: 23^{9/16"} x 8^{5/16"} x 11^{1/16"}
- Cut-Out Dimensions: 23^{5/8"} x 8^{3/8"} x 12"

PERFEKT GLIDE-30 REC-2

30" Built-In Glide-Out Range Hood, REC

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel / Powder coated grey
- Front Handle: Replaceable with custom panel
- Mounting Type: Built-In / Under cabinet
- Operating Mode: Recirculating

FEATURES

- 2 Fan speed settings
- Electronic rocker switch buttons
- 2 x LED lights
- Dishwasher safe carbon filters

PERFORMANCE

- 230 CFM Motor
- 130W Motor power
- 61 dBA Sound rating
- 2 x 1W Lighting power


DIMENSIONS (WxHxD)

- Product Dimensions: 29^{7/8"} x 8^{5/16"} x 11^{1/16"}
- Cut-Out Dimensions: 29^{15/16"} x 8^{3/8"} x 12"

PERFEKT GLIDE-36 REC-2

36" Built-In Glide-Out Range Hood, REC

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel / Powder coated grey
- Front Handle: Replaceable with custom panel
- Mounting Type: Built-In / Under cabinet
- Operating Mode: Recirculating

FEATURES

- 2 Fan speed settings
- Electronic rocker switch buttons
- 2 x LED lights
- Dishwasher safe carbon filters

PERFORMANCE

- 230 CFM Motor
- 130W Motor power
- 61 dBA Sound rating
- 2 x 1W Lighting power

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{3/8"} x 8^{5/16"} x 11^{1/16"}
- Cut-Out Dimensions: 35^{7/16"} x 8^{3/8"} x 12"

RANGE HOODS - REGENT SERIES

UNDER CABINET HOODS



RUC309

30" Stainless Steel Under Cabinet Hood

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Mounting Type: Under Cabinet Hood
- Controls: Soft touch, front indicator panel
- Filters: 2 x Stainless Steel Baffle

FEATURES

- 3 fan speeds for precise ventilation
- High-performance 900 CFM motor with low noise operation
- LED strip lighting for clear visibility (warm white 4500K)
- Durable stainless steel baffle filters, dishwasher safe
- 5-minute auto shut-off timer

PERFORMANCE

- Motor: 250W DC motor
- Airflow: 900 CFM
- Lighting: 1 x 5W LED strip
- Power: AC 120V~ / 60Hz, 3' cord with Canadian plug

DIMENSIONS (WxHxD)

- Product Dimensions: 30" x 16^{5/8}" x 22^{1/8}"



RUC369

36" Stainless Steel Under Cabinet Hood

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Mounting Type: Under Cabinet Hood
- Controls: Soft touch, front indicator panel
- Filters: 3 x Stainless Steel Baffle

FEATURES

- 3 fan speeds for precise ventilation
- High-performance 900 CFM motor with low noise operation
- LED strip lighting for clear visibility (warm white 4500K)
- Durable stainless steel baffle filters, dishwasher safe
- 5-minute auto shut-off timer

PERFORMANCE

- Motor: 250W DC motor
- Airflow: 900 CFM
- Lighting: 1 x 5W LED strip
- Power: AC 120V~ / 60Hz, 3' cord with Canadian plug

DIMENSIONS (WxHxD)

- Product Dimensions: 36" x 16^{5/8}" x 22^{1/8}"



RUC489

48" Stainless Steel Under Cabinet Hood

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Mounting Type: Under Cabinet Hood
- Controls: Soft touch, front indicator panel
- Filters: 4 x Stainless Steel Baffle

FEATURES

- 3 fan speeds for precise ventilation
- High-performance 900 CFM motor with low noise operation
- LED strip lighting for clear visibility (warm white 4500K)
- Durable stainless steel baffle filters, dishwasher safe
- 5-minute auto shut-off timer

PERFORMANCE

- Motor: 250W DC motor
- Airflow: 900 CFM
- Lighting: 1 x 5W LED strip
- Power: AC 120V~ / 60Hz, 3' cord with Canadian plug

DIMENSIONS (WxHxD)

- Product Dimensions: 48" x 16^{5/8}" x 22^{1/8}"

RANGE HOODS - REGENT SERIES

INSERT HOODS



RI309
30" Stainless Steel Insert Hood

KEY FEATURES

- Push Button Controls
- LED Lighting
- Three Fan Speeds
- Anti-Fingerprint Stainless Steel
- Washable Filters

GENERAL PROPERTIES

- Colour: Stainless steel
- Mounting Type: Insert Hood
- Controls: Soft touch, front indicator panel
- Filters: 2 x Stainless Steel Baffle

FEATURES


- 3 fan speeds for precise ventilation
- High-performance 900 CFM motor with low noise operation
- LED strip lighting for clear visibility (warm white 4500K)
- Durable stainless steel baffle filters, dishwasher safe
- 5-minute auto shut-off timer

PERFORMANCE

- Motor: 255W DC motor
- Airflow: 900 CFM
- Lighting: 1 x 5W LED strip
- Power: AC 120V~ / 60Hz, 3' cord with Canadian plug

DIMENSIONS (WxHxD)

- Product Dimensions: 28 3/4" x 17 1/8" x 18 1/2"
- Cut-Out: 26" x 16 3/4"



RI369
36" Stainless Steel Insert Hood

KEY FEATURES

- Push Button Controls
- LED Lighting
- Three Fan Speeds
- Anti-Fingerprint Stainless Steel
- Washable Filters

GENERAL PROPERTIES

- Colour: Stainless steel
- Mounting Type: Insert Hood
- Controls: Soft touch, front indicator panel
- Filters: 3 x Stainless Steel Baffle

FEATURES

- 3 fan speeds for precise ventilation
- High-performance 900 CFM motor with low noise operation
- LED strip lighting for clear visibility (warm white 4500K)
- Durable stainless steel baffle filters, dishwasher safe
- 5-minute auto shut-off timer

PERFORMANCE

- Motor: 255W DC motor
- Airflow: 900 CFM
- Lighting: 1 x 5W LED strip
- Power: AC 120V~ / 60Hz, 3' cord with Canadian plug

DIMENSIONS (WxHxD)

- Product Dimensions: 34 1/4" x 17 1/8" x 18 1/2"
- Cut-Out: 31 5/8" x 16 3/4"



RI489
48" Stainless Steel Insert Hood

KEY FEATURES

- Push Button Controls
- LED Lighting
- Three Fan Speeds
- Anti-Fingerprint Stainless Steel
- Washable Filters

GENERAL PROPERTIES

- Colour: Stainless steel
- Mounting Type: Insert Hood
- Controls: Soft touch, front indicator panel
- Filters: 4 x Stainless Steel Baffle

FEATURES

- 3 fan speeds for precise ventilation
- High-performance 900 CFM motor with low noise operation
- LED strip lighting for clear visibility (warm white 4500K)
- Durable stainless steel baffle filters, dishwasher safe
- 5-minute auto shut-off timer

PERFORMANCE

- Motor: 255W DC motor
- Airflow: 900 CFM
- Lighting: 1 x 5W LED strip
- Power: AC 120V~ / 60Hz, 3' cord with Canadian plug

DIMENSIONS (WxHxD)

- Product Dimensions: 46" x 17 1/8" x 18 1/2"
- Cut-Out: 43 3/8" x 16 3/4"

RANGE HOODS - REGENT SERIES

WALL-MOUNT HOOD



RP309

30" Stainless Steel Wall Mount Hood

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Mounting Type: Pyramid Wall Mount Hood
- Controls: Soft touch, front indicator panel
- Filters: 2 x Stainless Steel Baffle

FEATURES

- 3 fan speeds for precise ventilation
- High-performance 900 CFM motor with low noise operation
- LED strip lighting for clear visibility (warm white 4500K)
- Durable stainless steel baffle filters, dishwasher safe
- 5-minute auto shut-off timer

PERFORMANCE

- Motor: 250W DC motor
- Airflow: 900 CFM
- Lighting: 1 x 5W LED strip
- Power: AC 120V~ / 60Hz, 3' cord with Canadian plug

DIMENSIONS (WxHxD)

- Product Dimensions: 29 7/8" x 25 5/8" - 44 11/16" x 19 11/16"



RP369

36" Stainless Steel Wall Mount Hood

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Mounting Type: Pyramid Wall Mount Hood
- Controls: Soft touch, front indicator panel
- Filters: 3 x Stainless Steel Baffle

FEATURES

- 3 fan speeds for precise ventilation
- High-performance 900 CFM motor with low noise operation
- LED strip lighting for clear visibility (warm white 4500K)
- Durable stainless steel baffle filters, dishwasher safe
- 5-minute auto shut-off timer

PERFORMANCE

- Motor: 250W DC motor
- Airflow: 900 CFM
- Lighting: 1 x 5W LED strip
- Power: AC 120V~ / 60Hz, 3' cord with Canadian plug

DIMENSIONS (WxHxD)


- Product Dimensions: 35 3/8" x 25 5/8" - 44 11/16" x 19 11/16"



RP489

48" Stainless Steel Wall Mount Hood

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Mounting Type: Pyramid Wall Mount Hood
- Controls: Soft touch, front indicator panel
- Filters: 4 x Stainless Steel Baffle

FEATURES

- 3 fan speeds for precise ventilation
- High-performance 900 CFM motor with low noise operation
- LED strip lighting for clear visibility (warm white 4500K)
- Durable stainless steel baffle filters, dishwasher safe
- 5-minute auto shut-off timer

PERFORMANCE

- Motor: 250W DC motor
- Airflow: 900 CFM
- Lighting: 1 x 5W LED strip
- Power: AC 120V~ / 60Hz, 3' cord with Canadian plug

DIMENSIONS (WxHxD)

- Product Dimensions: 47 5/8" x 25 5/8" - 44 11/16" x 19 11/16"

DISHWASHERS

It's not just about the food – the style of cutlery and plates affect our perceptions of what we eat. A dark chocolate dish looks best when served on an angular plate, while a round plate is better for cheesecake. So you need a range of tableware that complements your food presentation and can be cared for in the most efficient way.



QUIET
OPERATION

IN THIS SECTION

Fully Integrated Dishwashers

Stainless Steel Dishwashers



COMFORT TRAY - THIRD LEVEL
CUTLERY RACK

DUAL SPRAY
ARMS



PAUSE

SUPERIOR CLEANING AND FULL COVERAGE.

Our Dishwashers are designed around your needs, you can unload more efficiently and stack more effectively. Dishwashing has never been easier with our range of smart and eco-friendly dishwasher.





Comfort Tray - Third Level Cutlery Rack

The Comfort Tray 3rd level cutlery rack accommodates almost everything. From multiple cutlery sets to over-sized utensils. Making it easy for every load.



Beam-On-Floor

Smooth and precise control of all your hood's functions with a simple touch or switch – easy to use and easy to clean.



Delay Timer

Clean your dishes on your schedule - the delay timer lets you load your dishwasher and program it to start at the time that suits your schedule.

DISHWASHER ICONS

KEY FEATURES GUIDE



Light Beam

This dishwasher is so quiet it projects a tiny red or green beam on to the floor to tell you when it's running and when it's finished.



Dual Spray Arm (slimline)

Water is evenly distributed in every dishwashing cycle with the dual spray arms. The rotating sprinklers make sure water gets into every corner, so your dishes come out sparkling.



Quick/Auto Select

Simple, premium control that adapts the wash according to your needs, allowing you to select when you want your dishes clean.



TimeBeam

Keeps you informed on the progress of the programs by projecting the remaining time on the floor.



Large Interior

The tall tubs large interior dishwashers give you additional space and more capacity for those irregular shaped items and plates larger in diameter.



ComfortLift®

The ComfortLift® basket rises on special hinges, ensuring less bending when loading and unloading dishes.



Eco Sensor

Eco-friendly programme with efficient use of water and energy consumption. Works for dishes, cutlery and cookware with normal and slightly dry residue.



Pause Function

Allows you to pause a selected program and its functions for added convenience during operation.



InteriorLight

Locate items at a glance thanks to the bright internal light.



Half-Load

Reduces wash time, energy, and water usage by optimizing for smaller loads.



AirDry

Uses natural airflow to finish the drying. By automatically opening the door in the last part of the cycle, you will get maximum drying performance leaving your dishes spotless.



Quiet Operation

Reduces the noise level down to our lowest number of decibels so that your dishes clean powerfully, leaving you with a quiet kitchen area.



ComfortTray

The third level ComfortTray cutlery rack accommodates almost everything. From multiple cutlery sets to over-sized utensils.



Glass Basket

The Glass Basket gives you confidence to put your most delicate glasses in the dishwasher. With great capacity and flexibility, the Glass Baskets holds wine glasses softly and firmly.



Time Delay

Run your dishwasher when it suits you, thanks to the up to 19 hour delay start function.



GlassCare System

The GlassCare system safeguards delicate glassware with SoftSpikes and a specialized bottom rack, preventing vibration damage to stem glasses.



Adjustable Racks

The adjustable racks in an AEG dishwasher allow you to easily make room for all of your dishes.



Connected

Control and monitor your dishwasher remotely by connecting it to the 'My AEG Kitchen' app. This allows you to choose and customise programmes, follow step by step maintenance and even alerts you when the rinse aid and salt is running low.



DISHWASHERS

The AEG range of dishwashers is designed to meet the frustrations and needs of dishwasher users.

The models are designed to give a better quality wash and superb drying results, combined with a large capacity, useful features, and flexible wash programs.

Excellence in Brushless, DC Pump

DC Water pump adopts the combination of a ceramic and carbon fiber graphite shaft sleeve, effectively minimizing friction and noise during operation, consequently enhancing its overall lifespan.

**MORE STABLE, LOW NOISE
BIG FLOW RATE, HIGH PRESSURE**



FULLY INTEGRATED DISHWASHERS



F8242FI

24" Fully Integrated Dishwasher

KEY FEATURES



GENERAL PROPERTIES

- Colour: Panel ready
- Accepts Panels: Accepts custom panels & handle
- Size: Standard tub, 82cm High ADA compliant
- Interior: Stainless steel
- Capacity: 12 Place settings

FEATURES

- Touch sensor - top hidden controls
- Electronic display
- Beam-on-Floor program indicator
- EcoSensor
- Delay timer
- Half load option
- Adjustable upper rack
- Third level Comfort-Tray cutlery rack
- Removable cutlery basket
- Cup shelves
- Fold-down tines
- Detergent & Rinse aid indicator
- Cold water intake / inline water heating element
- 42 dB noise level
- Brushless DC Water Pump (BLDC)

PROGRAMS

- 8 Cycles: Regular, Auto, Intensive, Intensive Plus, Daily, Delicates, Super, Rinse.
- 6 Options: Hi-Temp, Sanitize, Extra Rinse, Extra Dry, Extra Fast, Extra Silent Wash.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{9/16"} x 32^{1/4"} x 21^{5/8"}
- Cut-Out Dimensions: 23^{5/8"} x 34^{7/16"} x 22^{7/16"}

SLIMLINE INTEGRATED DISHWASHER



F8642FI

24" Fully Integrated Dishwasher

KEY FEATURES



GENERAL PROPERTIES

- Colour: Panel ready
- Accepts Panels: Accepts custom panels & handle
- Size: Tall tub
- Interior: Stainless steel
- Capacity: 14 Place settings

FEATURES

- Touch sensor - top hidden controls
- Electronic display
- Beam-on-Floor program indicator
- EcoSensor
- Delay timer
- Half load option
- Adjustable upper rack
- Third level Comfort-Tray cutlery rack
- Removable cutlery basket
- Cup shelves
- Fold-down tines
- Detergent & Rinse aid indicator
- Cold water intake / inline water heating element
- 42 dB noise level
- Brushless DC Water Pump (BLDC)

PROGRAMS

- 8 Cycles: Regular, Auto, Intensive, Intensive Plus, Daily, Delicates, Super, Rinse.
- 6 Options: Hi-Temp, Sanitize, Extra Rinse, Extra Dry, Extra Fast, Extra Silent Wash.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{9/16"} x 33^{7/8"} x 21^{5/8"}
- Cut-Out Dimensions: 23^{5/8"} x 36" x 22^{7/16"}

SLIMLINE INTEGRATED DISHWASHER



F8242FI-18

18" Built-In Dishwasher, 82cm High ADA

KEY FEATURES



GENERAL PROPERTIES

- Colour: Panel ready
- Accepts Panels: Accepts custom panels & handle
- Size: Standard tub, 82cm High ADA compliant
- Interior: Stainless steel
- Capacity: 10 Place settings

FEATURES

- Touch sensor - top hidden controls
- Electronic display
- Beam-on-Floor program indicator
- EcoSensor
- Delay timer
- Half load option
- Adjustable upper rack
- Third level Comfort-Tray cutlery rack
- Removable cutlery basket
- Cup shelves
- Fold-down tines
- Detergent & Rinse aid indicator
- Cold water intake / inline water heating element
- 42 dB noise level
- Brushless DC Water Pump (BLDC)

PROGRAMS

- 8 Cycles: Regular, Auto, Intensive, Intensive Plus, Daily, Delicates, Super, Rinse.
- 6 Options: Hi-Temp, Sanitize, Extra Rinse, Extra Dry, Extra Fast, Extra Silent Wash

DIMENSIONS (WxHxD)

- Product Dimensions: 17^{5/8"} x 32^{1/4"} x 21^{5/8"}
- Cut-Out Dimensions: 17^{3/4"} x 34^{7/16"} x 22^{7/16"}

STAINLESS STEEL DISHWASHER



F8642SS

24" Built-In Dishwasher

KEY FEATURES



GENERAL PROPERTIES

- Colour: Stainless steel
- Accepts Panels: No
- Size: Tall tub
- Interior: Stainless steel
- Capacity: 14 Place settings

FEATURES

- Touch sensor - top hidden controls
- Electronic display
- Beam-on-Floor program indicator
- EcoSensor
- Delay timer
- Half load option
- Adjustable upper rack
- Third level Comfort-Tray cutlery rack
- Removable cutlery basket
- Cup shelves
- Fold-down tines
- Detergent & Rinse aid indicator
- Cold water intake / inline water heating element
- 42 dB noise level
- Brushless DC Water Pump (BLDC)

PROGRAMS

- 8 Cycles: Regular, Auto, Intensive, Intensive Plus, Daily, Delicates, Super, Rinse.
- 6 Options: Hi-Temp, Sanitize, Extra Rinse, Extra Dry, Extra Fast, Extra Silent Wash.

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{9/16"} x 33^{7/8"} x 21^{5/8"}
- Cut-Out Dimensions: 23^{5/8"} x 36" x 22^{7/16"}

LAUNDRY

Why compromise? Since AEG began in 1883, we have always set new challenges. Why trust your most precious clothes to the dry cleaners? Why waste valuable energy, water and time on a wash cycle? AEG gives you the confidence to redefine the expected. No need for compromises. Let's demand a higher standard for laundry care... and the environment.

IN THIS SECTION

Washing Machines

Tumble Dryers



STEAM
TECHNOLOGY



QUIET
OPERATION



1400 RPM SPIN
SPEED



SENSOR DRYING



SANTIZE
CYCLE



LAUNDRY

CONDENSATION PAIR



Condensation Dryer

Get a perfect dry in any space with our Condensation Dryer that allows for ventless installation



Steam Technology

With the steam option, ironing has become quick and easy. The steam used during washing penetrates and loosens the fibres, eliminates creases and leaves your clothes soft and delicate.



Internal Water Heater

Enhances cleaning by eliminating common laundry bacteria with the internal water heater, which boosts water temperature up to 71°C.

STACKING KITS AVAILABLE



KIT-ST1



KIT-ST2



WASHER



W14120

24" Front Load Washing Machine

KEY FEATURES



GENERAL PROPERTIES

- Colour: White with chrome accents
- Max Spin Speed: 1400RPM
- Inlet Water: Hot & cold
- Drain Type: Pump
- Temperature Settings: 5 Levels
- Inner Tub Material: Stainless steel inner/outer drum
- Capacity: 10KG / 22 lbs.
- Noise Level: 63 dB
- Adjustable Legs: Yes
- Stackable: Yes (Optional stacking kits available - KIT-ST1 & KIT-ST2)
- Matching Dryer: DC240

FEATURES

- Electronic touch controls with digital dial selector
- LED display
- Cycle status indicator lights / Time display / End of cycle signal
- Automatic Temperature control
- Time Save and Delay Start
- Liquid / Detergent Dispenser
- Softener Dispenser
- Out-of-Balance vibration reduction
- Reduced load detection

PROGRAMS

- 15 Wash Cycles: Normal/Cotton, Quick Wash, Drum Clean, Activewear, Sanitize, Bedding, Perm Press, Handwash/Delicates, Spin & Drain, Heavy Duty, Towels, Mix, Jeans, Wool, Rinse
- 10 Wash Options: Time Save, Delay, Temperature, Spin, Level of Soil, Auxiliary Steam Function, Easy Iron, Extra Rinse, Options, Child Lock

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{3/8"} x 33^{1/2"} x 25^{5/8"}
- Cut-Out Dimensions: 25^{3/8"} x 35^{7/16"} x 31^{9/16"}

DRYER



DC240

24" Front Load Condensation Tumble Dryer

KEY FEATURES



GENERAL PROPERTIES

- Colour: White with chrome accents
- Drying Type: Condensation
- Drain House: Supplied with Drain hose for condensed water
- Number of Drying Levels: 3 Drying elvels
- Drying Control: Automatic & Manual
- Inner Tub Material: Aluminized steel drum
- Capacity: 10KG / 22 lbs.
- Noise Level: 69 dB
- Adjustable Legs: Yes
- Stackable: Yes (Optional stacking kits available - KIT-ST1 & KIT-ST2)
- Matching Washer: W14120

FEATURES

- Electronic touch controls with digital dial selector
- LED display
- Cycle status indicator lights / Time display / End of cycle signal
- Automatic Temperature control
- Delay Start
- Sensor Dry
- Drum Light
- Out-of-Balance vibration reduction
- Look through door window

PROGRAMS

- 15 Drying Cycles: Normal + Regular Dry, Outdoor, Towels, Mix, Warm Refresh, Air Fluff, Time Drying, Sanitize, Baby Care, Delicates, Perm Press + Regular Dry, Bedding, Sports Wear, Express 29', Shirts 12'
- 10 Drying Options: Wrinkle Prevent, Delay, Time Adjust, Dryness, Signal, Damp Alert, Child Lock

DIMENSIONS (WxHxD)

- Product Dimensions: 23^{3/8"} x 33^{1/2"} x 25^{5/8"}
- Cut-Out Dimensions: 25^{3/8"} x 35^{7/16"} x 31^{9/16"}

LAUNDRY

HEAT PUMP PAIR



Condensation Dryer

Utilizing innovative heat-pump technology, the dryer recycles hot air to dry clothes gently and efficiently. This advanced system maintains fabric quality while using less energy compared to traditional dryers.



Wrinkle Care

The Wrinkle Care function minimizes creases in your laundry by using an anti-crease mode at the end of the cycle. This ensures easier ironing or allows some fabrics to be worn straight out of the dryer.



Internal Water Heater

Enhances cleaning by eliminating common laundry bacteria with the internal water heater, which boosts water temperature up to 71°C.

WASHER



WHP120

24" 12KG Front Load Washing Machine

KEY FEATURES



GENERAL PROPERTIES

- Colour: White with chrome accents
- Washing Type: Front Load
- Inlet Water: Hot & Cold
- Inner Tub Material: Stainless Steel Drum
- Capacity: 12 KG / 26.4 lbs (IEC 3.1 cu.ft)
- Max Spin Speed: 1400 Rpm
- Noise Level: 69 dB (Wash)
- Adjustable Legs: Yes
- Stackable: Yes (Optional stacking kits available – KIT-ST1 & KIT-ST2)
- Matching Dryer: DHP240

FEATURES

- LED display with touch control
- Extra rinse & 5 temperature selections
- Automatic balance detection & vibration reduction
- Delay start, time save & end-of-cycle signal
- Dispensers for detergent, liquid detergent, softener, pre-wash
- Child lock safety

PROGRAMS

- Normal, Cotton, Heavy Duty, Bulky, Sport, Rinse & Spin, Tub Clean, Cold Wash, Sanitary, Baby Care, Wool, Delicates, Quick Wash, My Cycle (16 total)

DIMENSIONS (WxHxD)

- Product Dimensions: 23¾" x 33½" x 23¾"

DRYER



DHP240

24" 12 Front Load Heat Pump Dryer

KEY FEATURES



GENERAL PROPERTIES

- Colour: White with chrome accents
- Drying Type: Heat Pump
- Drain Hose: Supplied with drain hose for condensed water
- Number of Drying Levels: 4 drying levels
- Drying Control: Automatic & Manual
- Inner Tub Material: Aluminized Steel Drum
- Capacity: 12 KG / 26.4 lbs (4.4 cu.ft)
- Noise Level: 69 dB
- Adjustable Legs: Yes
- Stackable: Yes (Optional stacking kits available – KIT-ST1 & KIT-ST2)
- Matching Washer: WHP120

FEATURES

- Sensor dry with auto & manual controls
- Wrinkle prevention & four drying levels
- Delay start, damp alert & end-of-cycle signal
- Error alarm & auto power-off
- Clear view reversible door

PROGRAMS

- Normal, Delicates, Towels, Heavy Duty, Bulky, Quick Dry, My Cycle, Sanitize, Jeans, Perm Press, Mixed Load, Active Wear, Refresh, Time Dry, Air Fluff, Wool (16 total)

DIMENSIONS (WxHxD)

- Product Dimensions: 23¾" x 33½" x 25" / 16"

STACKING KITS AVAILABLE



REFRIGERATION

We design solutions to protect food quality so that people can enjoy a healthy diet and a sustainable life. We help consumers avoid food waste by protecting food quality. We work with circular, recyclable and conscious solutions and materials and reduce environmental footprint.

Flavour is all about freshness and storing ingredients – the right humidity and temperature is vital. But how do you want your fridge arranged?

Our solution lets you decide. Everything and anything fits in perfectly for long-lasting flavour, while maintaining energy efficiency, protecting your environment and your budget.

IN THIS SECTION

Integrated Fridge Freezers





REFRIGERATION ICONS

KEY FEATURES GUIDE



TwinCooling Plus

Pioneering TwinCooling NoFrost technology for exceptional freshness. One cooling system chills the freezer, keeping it NoFrost. The other cools the fridge, ensuring that the fridge temperature is cold, stable and with the correct level of humidity, so as not to dry out your fruit and vegetables.



Fast-Freezing

Ideal for freezing fresh food quickly, preserving the flavour, colour, texture and nutritional value.



GreenZone

Dedicated drawer which allows you to precisely control the humidity, so you can preserve the flavours and nutrients of your fresh fruits and vegetables.



LCD Touch Display

Sleek touch controls that are intuitive and ready to use.



Ice & Water

Dispenser through the door for water and ice cubes.



Door Open Alarm

AEG fridge freezers have a door open alarm that sounds and notifies you when the door is left open for a certain amount of time.



High Temperature Alarm

Highlights an increase in the temperature in the fridge freezer compartment.



NoFrost

Never defrost your freezer again. NoFrost freezers offer efficient and effective freezing with quicker, more even freezing for better food preservation.



Automatic Defrost

Faster, more efficient defrosting. Time is of the essence when defrosting your freezer. This fridge freezer comes with efficient defrost technology, which makes the defrosting faster and less frequent by using cooling fans that minimize frost build up.



Touch Control

Intuitive touch controls provide instant feedback, are easy to use and look sleek in the kitchen.



Soft Close Doors

Soft Close door hinges that automatically close from an angle of 23–30 degrees – providing an elegant solution to slamming doors.



LED Interior Lighting

Premium and modern lighting system in the fridge thanks to the bright LED light with rise-on effect.



Door-On-Door Hinge

Door-on-door design securely attaches the cabinet door directly to the fridge door.



Sliding Rail Hinge

Sliding door hinge allows the fridge freezer door to slide in and out as the door is opened and closed.



Super-Cooling

Ideal for chilling fresh food quickly and regaining a stable temperature within the fridge once the door has been opened, maintaining food freshness.



Multi Air Flow

The Multi Air Flow technology provides the precise temperature and humidity your ingredients need to stay fresh in your fridge, nutritious and full of flavour for even longer.



UltraFresh

Automatic humidity control and antioxidant release filter inside the fridge compartment, keeping fruit and vegetables market fresh.



MultiSpace

No compromise between kitchen dimensions and your storage requirements. More storage capacity than a standard built-in model for improved organization and flexibility.



Quiet Operation

AEG fridge freezers operate quietly with low noise levels, making it a discreet addition to your kitchen environment.



Simple Touch Controls

Our simple to use electronic controls, with various functions, ensure that you can set the fridge freezer to your desired temperature.



Variable Speed Compressor

Inverter compressor technology maintains and adjusts the airflow based on the fridge's needs, ensuring a consistent temperature without wasting energy.

REFRIGERATION

FRIDGE FREEZERS



ARCTIS-24DD

24" Built-In Bottom Mount Refrigerator

KEY FEATURES



GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White
- Hinge: Door-on-door (RH)
- Door Hinge Covers: Yes
- Reversible Door: Yes
- Total Capacity: 9.18 cu. ft. (259L)
- Cooling Type: Fan-Assisted & No-Frost
- Temperature Control: Electronic temperature control
- Number of Compressors: 1
- Noise Level: 40 dB(A)

FEATURES

- LED internal display
- Holiday, Fast-Freezing, Fast-Cooling, ECO display functions
- Door open alarm
- LED ceiling interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Adjustable safety glass shelves
- 2 Fruit & Vegetable drawers / 1 Crisper drawer
- 2 Door bins / 1 Bottle shelf

FREEZER FEATURES

- 3 Transparent drawers
- Automatic defrost

DIMENSIONS (WxHxD)

- Product Dimensions: 21^{1/4}" x 69^{5/8}" x 21^{5/8}"
- Cut-Out Dimensions: 22^{1/8}" x 69^{13/16}" x 22^{1/16}"



ARCTIS-24IM

24" Built-In Bottom Mount Refrigerator, Ice Maker

KEY FEATURES



GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White
- Hinge: Door-on-door (RH)
- Door Hinge Covers: Yes
- Reversible Door: Yes
- Total Capacity: 9.18 cu. ft. (259L)
- Cooling Type: Fan-Assisted & No-Frost
- Temperature Control: Electronic temperature control
- Number of Compressors: 1
- Noise Level: 40 dB(A)

FEATURES

- LED internal display
- Holiday, Fast-Freezing, Fast-Cooling, ECO display functions
- Door open alarm
- LED ceiling interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Adjustable safety glass shelves
- 2 Fruit & Vegetable drawers / 1 Crisper drawer
- 2 Door bins / 1 Bottle shelf

FREEZER FEATURES

- 3 Transparent drawers
- Automatic defrost

DIMENSIONS (WxHxD)

- Product Dimensions: 21^{1/4}" x 69^{5/8}" x 21^{5/8}"
- Cut-Out Dimensions: 22^{1/8}" x 69^{13/16}" x 22^{1/16}"



ARCTIS-24SR
24" Built-In Bottom Mount Refrigerator

KEY FEATURES

- 
Multi Air Flow
- 
Fast Cooling
- 
Fast Freeze
- 
GreenZone
- 
Touch Control
- 
LED Lighting
- 
Soft Close Doors

GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White
- Hinge: Sliding Rails (RH)
- Door Hinge Covers: Yes
- Reversible Door: Yes
- Total Capacity: 8.6 cu. ft. (244L)
- Cooling Type: Fan-Assisted & No-Frost
- Temperature Control: Electronic temperature control
- Number of Compressors: 1
- Noise Level: 40 dB(A)

FEATURES

- LED internal display
- Holiday, Fast-Freezing, Super-Cooling, ECO display functions
- Door open alarm
- LED ceiling interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Adjustable safety glass shelves
- 2 Fruit & Vegetable drawers / 1 Crisper drawer
- 2 Door bins / 1 Bottle shelf

FREEZER FEATURES

- 3 Transparent drawers
- Automatic defrost / NoFrost system

DIMENSIONS (WxHxD)

- Product Dimensions: 21^{1/4"} x 69^{5/8"} x 21^{5/8"}
- Cut-Out Dimensions: 22^{1/8"} x 69^{13/16"} x 22^{1/16"}



ARCTIS-28DD
28" Built-In Bottom Mount Refrigerator

KEY FEATURES

- 
Multi Air Flow
- 
Fast Cooling
- 
Fast Freeze
- 
GreenZone
- 
Touch Control
- 
LED Lighting
- 
Soft Close Doors

GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White
- Hinge: Door-on-door (RH)
- Door Hinge Covers: Yes
- Reversible Door: Field reversible doors
- Total Capacity: 12 cu. ft. (340L)
- Cooling Type: Fan-Assisted & Frost-Free
- Temperature Control: Electronic temperature control
- Number of Compressors: 1 Variable speed with inverter (VCC)
- Noise Level: 39 dB(A)

FEATURES

- LED internal display
- Holiday, ECO, Super-Cool, Super-Freezer display functions
- Door open alarm
- LED ceiling interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Safety glass shelves
- 2 Fruit & Vegetable drawers / 1 Easy-glide crisper drawer
- 3 Door bins / 1 Bottle shelf

FREEZER FEATURES

- 3 Transparent drawers
- Automatic defrost / Frost-Free system

DIMENSIONS (WxHxD)

- Product Dimensions: 27^{3/16"} x 76^{1/4"} x 21^{5/8"}
- Cut-Out Dimensions: 28" x 78^{3/4"} x 22^{1/16"}



ARCTIS-28SR

28" Built-In Bottom Mount Refrigerator

KEY FEATURES



GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White
- Hinge: Sliding rails (RH)
- Door Hinge Covers: Yes
- Reversible Door: Field reversible doors
- Total Capacity: 12 cu. ft. (340L)
- Cooling Type: Fan-Assisted & Frost-Free
- Temperature Control: Electronic temperature control
- Number of Compressors: 1 Variable speed with inverter (VCC)
- Noise Level: 39 dB(A)

FEATURES

- LED internal display
- Holiday, ECO, Super-Cool, Super-Freezer display functions
- Door open alarm
- LED ceiling interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Safety glass shelves
- 2 Fruit & Vegetable drawers / 1 Easy-glide crisper drawer
- 3 Door bins / 1 Bottle shelf

FREEZER FEATURES

- 3 Transparent drawers
- Automatic defrost / Frost-Free system

DIMENSIONS (WxHxD)

- Product Dimensions: 27^{3/16"} x 76^{1/4"} x 21^{5/8"}
- Cut-Out Dimensions: 28" x 78^{3/4"} x 22^{1/16"}



ARCTIS-30

30" Built-In Bottom Mount Refrigerator

KEY FEATURES



GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White / Stainless steel rear wall
- Hinge: Door-on-door RH)
- Door Hinge Covers: Yes
- Reversible Door: Yes
- Total Capacity: 16 cu. ft. (452L)
- Cooling Type: Dual Evaporator & Frost-Free
- Temperature Control: Electronic touch temperature control
- Number of Compressors: 1 Variable speed with inverter (VCC)
- Noise Level: 43 dB(A)

FEATURES

- LED internal display
- Holiday, ECO, Sabbath, Temp., Fresh Food Compartment display functions
- Door open alarm
- LED ceiling & side walls interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Safety glass shelves (1 fixed, 2 adjustable)
- 1 Fruit & Vegetable drawers / 1 Humidity controlled crisper
- 3 Door bins / 1 Gallon storage rack

FREEZER FEATURES

- 1 Large freezer drawer (2 compartments)
- Automatic defrost / Frost-Free system

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{3/4"} x 83^{1/4"} x 23^{5/8"}
- Cut-Out Dimensions: 30" x 84" x 25^{5/8"}



ARCTIS-30IW

30" Built-In Bottom Mount Refrigerator, Ice & Water

KEY FEATURES

- TwinCooling Plus
- Fast Cooling
- NoFrost
- GreenZone
- LCD Touch Control
- LED Lighting
- Ice & Water

GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White / Stainless steel rear wall
- Hinge: Door-on-door (RH)
- Door Hinge Covers: Yes
- Reversible Door: Yes
- Total Capacity: 16 cu. ft. (452L)
- Cooling Type: Dual Evaporator & Frost-Free
- Temperature Control: Electronic touch temperature control
- Number of Compressors: 1 Variable speed with inverter (VCC)
- Noise Level: 43 dB(A)

FEATURES

- LED internal display
- Holiday, ECO, Sabbath, Temp., Fresh Food Compartment display functions
- Door open alarm
- LED ceiling & side walls interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Safety glass shelves (1 fixed, 2 adjustable)
- 1 Fruit & Vegetable drawers / 1 Humidity controlled crisper
- 3 Door bins / 1 Gallon storage rack
- Internal water dispenser

FREEZER FEATURES

- 1 Large freezer drawer (2 compartments)
- Automatic ice maker
- Automatic defrost / Frost-Free system

DIMENSIONS (WxHxD)

- Product Dimensions: 29^{3/4"} x 83^{1/4"} x 23^{5/8"}
- Cut-Out Dimensions: 30" x 84" x 25^{5/8"}



ARCTIS-36

36" Built-In Bottom Mount Refrigerator

KEY FEATURES

- TwinCooling Plus
- NoFrost
- Fast Freeze
- GreenZone
- LCD Touch Control
- LED Lighting
- Soft Close Doors

GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White
- Hinge: Door-on-door (RH)
- Door Hinge Covers: Yes
- Reversible Door: Field reversible doors
- Total Capacity: 12 cu. ft. (340L)
- Cooling Type: Fan-Assisted & Frost-Free
- Temperature Control: Electronic temperature control
- Number of Compressors: 1 Variable speed with inverter (VCC)
- Noise Level: 39 dB(A)

FEATURES

- LED internal display
- Holiday, ECO, Super-Cool, Super-Freezer display functions
- Door open alarm
- LED ceiling interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Safety glass shelves
- 2 Fruit & Vegetable drawers / 1 Easy-glide crisper drawer
- 3 Door bins / 1 Bottle shelf

FREEZER FEATURES

- 1 Large freezer drawer (2 compartments)
- Automatic ice maker

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{12/16"} x 83^{5/16"} x 24^{4/16"}
- Cut-Out Dimensions: 36" x 84" x 25^{5/8"}



ARCTIS-36IW

36" Built-In Bottom Mount Refrigerator, Ice & Water

KEY FEATURES



GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White / Stainless steel rear wall
- Hinge: Door-on-door RH)
- Door Hinge Covers: Yes
- Reversible Door: Yes
- Total Capacity: 19.8 cu. ft. (560L)
- Cooling Type: Dual Evaporator & Frost-Free
- Temperature Control: Electronic touch temperature control
- Number of Compressors: 1 Variable speed with inverter (VCC)
- Noise Level: 43 dB(A)

FEATURES

- LED internal display
- Holiday, ECO, Sabbath, Temp., Fresh Food Compartment display functions
- Door open alarm
- LED ceiling & side walls interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Safety glass shelves (1 fixed, 2 adjustable)
- 1 Fruit & Vegetable drawers / 1 Humidity controlled crisper
- 3 Door bins / 1 Gallon storage rack
- Internal water dispenser

FREEZER FEATURES

- 1 Large freezer drawer (2 compartments)
- Automatic ice maker
- Automatic defrost / Frost-Free system

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{12/16} x 83^{3/16} x 24^{4/16}
- Cut-Out Dimensions: 36 x 84 x 25^{9/8}



ARCTIS-36FD

36" Built-In Bottom Mount Refrigerator

KEY FEATURES



GENERAL PROPERTIES

- Type: Fully integrated
- Style: Bottom Freezer / French door
- Colour: Panel ready - Accepts custom panels
- Interior Colour: White / Stainless steel rear wall
- Hinge: Door-on-door RH)
- Door Hinge Covers: Yes
- Reversible Door: Yes
- Total Capacity: 19.6 cu. ft. (554L)
- Cooling Type: Twin-cooling plus
- Temperature Control: Electronic touch temperature control
- Number of Compressors: 1 Variable speed with inverter (VCC)
- Noise Level: 43 dB(A)

FEATURES

- LED internal display
- Holiday, ECO, Sabbath, Temp., Fresh Food Compartment display functions
- Door open alarm
- LED ceiling & side walls interior lighting
- Refrigerator cooling fan

REFRIGERATOR FEATURES

- 3 Safety glass shelves (1 fixed, 2 adjustable)
- 1 Fruit & Vegetable drawers / 1 Humidity controlled crisper
- 3 Door bins / 1 Gallon storage rack

FREEZER FEATURES

- 1 Large freezer drawer (2 compartments)
- Automatic defrost / Frost-Free system

DIMENSIONS (WxHxD)

- Product Dimensions: 35^{12/16} x 83^{3/16} x 24^{4/16}
- Cut-Out Dimensions: 36 x 84 x 25^{9/8}



We are AEG.

We exist to redefine what you expect out of your household appliances, which is why we want to challenge the boundaries of everyday life.

Since our start in Berlin in 1887, we've never settled for good enough. And we don't think you should have to either.

That's why we never compromise with innovations for your home. We believe in responsible innovations that stand out today and help build a better tomorrow. So you can live on your own terms while also living up to the terms of the environment.

CHALLENGE THE EXPECTED